


MYTHICAL PROMOTIONS

Promotions for Life Sciences

From 14 April to 31 July 2025




ALPHABETICAL INDEX

Adhesive tape	39
Agarose	16
Amplification	15, 16
Anti-vibration platform	7
Autoclavable bag	40
Benchtop autoclave	6
Benchtop ionometer	28
Bottle	26
Buffer	16, 17
Calibrex dispenser	20
Carousel	18
Centrifuge	9, 10
Charge pad	17
Chemical absorbent	30
Concentrator	14
Conductivity meter	27, 28
CoolCell	22
Crimping pliers	36
Cryo glove	37
Cryobox	22
Cryotube	22
Culture medium	13
Cuvette	25
Decanting funnel	34
Deepwell	3
Dewars	23, 24
Disinfectant for water bath	7
Dispenser for glove box	37
DNA-ExitusPlus IF, RNase-	14
ExitusPlus	
Dry bath	7
Dry shaker bath	3
Electric spout	8
Electrophoresis	17
Electrophoresis chamber	16

Erlenmeyer	36
Evaporation capsule	36
Film	15, 39
Filter tips	19
Filtration system	31
Filtration unit	32
Frost Hoover	10
Funnel	32, 33
Glass beaker	35
Glass flask	34
Glove	37
Grinder	7
Headquarters	41
Hot plate	4
Ice machine	10
Incubator	6
Label	39
Laboratory furniture	43
Laboratory set	40
Marker	39
Mask	38
Mat	40
Measuring Cylinders	35
Microcentrifuge	9, 10
Micropipette	2, 18, 19
Microplate	3
Microscope	12
Microtube	3
Microwave oven	11
Mobile furniture	43
Nalgene Labtop coolers	23
Ovegoggle	37
pH meter	27

Pipetboy	20
PIPETMAN® L	18
Pipette controller	20
Plate	4, 15
Portable scale	7
Protective paper	39
Pump	12, 31
Rack	21
Safety burner	8
Safety plug	29
Saline solution	13
Set of dNTPs	16
Shaker	4, 5
Shaker-incubator	6
Size scale	16
Smartblocks	3
Stepladder	41
Stirring bar	4
Stool	41
Storage shelf	44
Suction system	12
Thermal cycler	15
Thermalseal seal	15
Thermomixer	3
Transport drum	26
Trolley	41, 42
Tube	3
Ultrasonic bath	8
Vial	33, 35
Wash bottle	25, 26
Water grade	16
Weighing bucket	8
Workstation	11





Dear customer,

If the gods of Olympus had to conduct laboratory experiments, no doubt they would have chosen Dulis! After all, when it comes to meeting challenges, we are on par with Hercules.

At Dulis, it's in our DNA to offer you innovative solutions for solving scientific mysteries, overcoming budget constraints and tackling logistical monsters. We're here to provide you with expert advice and tailor-made solutions. And like an arrow from Apollo, our deliveries are fast and accurate.

So don't hesitate to take advantage of our legendary promotion: a divine selection of premium, high-performance products in stock, at prices carefully designed to fit even the tightest budgets.

I hope you enjoy your reading, and thank you very much for your trust and loyalty.

**Claude GAZEL
CSMO**



More promotions?

Can't find what you're looking for?

Visit : **Dulis.be** or **Dulis.nl**

Many other items of equipment, reagents and consumables are currently on promotion at very attractive prices.

Don't miss out!

PACK OF 6 RESEARCH® PLUS PIPETTES WITH CARROUSEL-HOLDER 2



Includes

ep Research® plus 6-Pack

1 Research plus 0.1 - 2.5 µl
1 Research plus 0.5 - 10 µl
1 Research plus 2 - 20 µl
1 Research plus 10 - 100 µl
1 Research plus 20 - 200 µl
1 Research plus 100 - 1000 µl
6 epTips box
Carousel rack for 6 micropipettes

Part no.

934697

€

1616~

PROMO €

1325.20 -

XPLORER ELECTRONIC MICROPIPETTES

- Light and balanced
- Tip-holder end with shock absorber

Intuitive operation

- Pipetting mode selection wheel
- Adjustable parameters on 1 screen
- French texts with help function
- Large backlit display, easy to read in any position
- User adjustment and predefined adjustments (e.g. to different types of liquids)
- Lithium-Polymer battery with long autonomy (3000 pipettings), possibility to work while recharging
- Same charger (and charger holder) as for the Multipette Stream/Xstream
- Integrated RFID chip provides simple identification and documentation
- Supplied with charging adapter and calibration certificate according to EN ISO 8655



EPPENDORF XPLORER® MICROPIPETTES - CHARGER INCLUDED

Volume (µl)	Colour push button	Xplorer®		
		Part no.	€	PROMO €
0.5 - 10	Grey	035639	714~	571.20 -
1 - 20	Light grey	934305	714~	571.20 -
5 - 100	Yellow	035640	714~	571.20 -
10 - 200	Yellow	934306	714~	571.20 -
15 - 300	Orange	035641	714~	571.20 -
50 - 1000	Blue	035642	714~	571.20 -
250 - 2500	Red	934307	714~	571.20 -
500 - 5000	Purple	035643	714~	571.20 -
1000 - 10,000	Turquoise	035644	714~	571.20 -

SAFE-LOCK MICROTUBES



Part no.	Volume (ml)	Units/box	€/box	€ PROMO
033283	0.5	500	50.90~	41.80 -
033297	2	1000	70.30~	57.70 -

15 AND 50 ML BIOBASED TUBES




Part no.	Volume (ml)	Units/box	€/box	€ PROMO
934684	15	500	181~	144.80 -
934686	50	500	216~	172.80 -

MICROPLATES AND DEEPWELLS

For sample storage or applications requiring high resistance to solvents, such as DMSO.

DEEPWELLS



- RevolverMax® well design: optimised well geometry, with no sharp angles. For maximum sample recovery
- SBS Standard Compliant
- Operating temperature: from -86 °C to 100 °C

Vol. (µl)	Specificity	White frame	Units/box	€/box	€ PROMO
2000	PCR Clean	034291	80	750~	615 -
2000	Sterile	034286	20	241~	192.80 -
200	PCR clean, Protein LoBind	034316	40	869~	695.20 -
2000	PCR clean, Protein LoBind	933088	20	419~	335.20 -

96-WELL MICROPLATES



% Find the entire selection of Eppendorf deepwells and microplates on promotion on our website

Volume (µl)	Specificity	White frame/transparent wells	White frame/black wells	Units/box	€/box	€ PROMO
350	PCR Clean	035745	-	80	268~	214.40 -
360	PCR Clean	035360	-	240	249~	199.20 -
400	Sterile	-	933130	240	347~	277.60 -
400	Sterile	035366	-	240	285~	228 -
360	Sterile	035367	-	240	285~	228 -
350	Sterile	035368	-	240	285~	228 -

SHAKER DRY BATH THERMOMIXER C

- Delivered without holder, to be completed with a rod of your choice

Model	ThermoMixer C
Speed (rpm)	300 - 3000
Orbit (mm)	3
Temperature range (°C)	Ambient -15 to +100°C
Accuracy (°C)	± 0.5°C
Standard capacity	Without SmartBlock
Operating mode	Continuous, timer or programming
Part no.	035963
€/box	3201~
PROMO €	2624.90 -



According to model



Find all Smartblock Eppendorf products on promotion on our website



SMARTBLOCKS

- Integrated temperature sensor for temperature control
- QuickRelease system for quick, easy and safe block replacement

Part no.	Capacity	Capacity	Lid	Compatibility	Transfer Rack	€	PROMO €
035967	Microtubes 0.5 ml	24	x	x	Included	664~	544.50 -
035968	Microtubes 1.5 ml	24	x	x	Included	664~	544.50 -
035969	Microtubes 2.0 ml	24	x	x	Included	664~	544.50 -
035970	Microtubes 5.0 ml	8	-	-	-	664~	544.50 -
035971	15 ml conical centrifuge tubes	8	-	-	-	664~	544.50 -
035972	50 ml conical centrifuge tubes	4	-	-	-	664~	544.50 -
035974B	Cryotubes 1.5-2.0 ml Ø 12.5 ml	24	-	-	-	664~	544.50 -



EQUIPMENT

Dulis.be

Dulis.nl



MAKE BRILLIANT SAVINGS WITH DULIS!

TAKE ADVANTAGE OF DISCOUNTS OF UP TO 40% ON ALL OUR SMALL ELECTRICAL LABORATORY EQUIPMENT: STIRRERS, BATHS, SCALES, HOT PLATES, PH METERS, CONDUCTIVITY METERS, ANALYSERS, PUMPS AND MUCH MORE. OVER 4,000 PRODUCTS ON PROMOTION* TO MAKE THE MOST OF YOUR PURCHASES TODAY!

DULIS, YOUR PARTNER, HELPS YOU CONTROL YOUR BUDGETS WHILE OFFERING YOU THE PRODUCT BEST SUITED TO YOUR NEEDS.

GUARDIAN 5000 HEATED MAGNETIC STIRRERS



IP 32



Model	e-G52HS07C
Interface	Digital
Stirring capacity (l)	20
Speed (rpm)	50 - 1800
Heating temperature (°C)	Ambient +5 to 550 °C
Tray dimensions (mm)	180 x 180
Plate materials	Ceramic
Part no.	334243
€	730~
PROMO €	584 -



CIMAREC + HOT PLATE



Interface	Digital
Heating temperature (°C)	30 - 300
Tray dimensions (mm)	184 x 184
Plate material	Aluminium
Dimensions (W x D x H) (mm)	208 x 330 x 97
Weight (kg)	4.2
Conditions to use	5 to 35 °C / 80% RH
Part no.	078531B
€	395~
PROMO €	289 -

thermo scientific

SPINBAR MAGNETIC STIRRER BARS

- Made of pure PTFE, FDA approved
- Autoclavable



Other bar sizes are on special offer on Dulis.be or Dulis.nl

CYLINDRICAL BAR



l x Ø (mm)	Part no.	€	€ PROMO
25 x 6	046013	8.20~	4.80 -

OCTAGONAL BAR WITH PIVOT RING



l x Ø (mm)	Part no.	€	€ PROMO
38 x 8	045923	9.80~	5.70 -

SIDE STRIP BAR



l x Ø (mm)	Part no.	€	€ PROMO
25 x 8	095959	5.30~	3.20 -

VORTEX SHAKER

The most versatile, with numerous configurations for every situation.

- Supplied with standard head and Ø 75mm vial holder

Model	Genie 2 digital
Interface	Digital
Speed (rpm)	500 - 2850
Part no.	079070
€	1027~
PROMO €	611 -



DIGITAL TWO-WAY SHAKER SK-L330~PRO

- Delivered without a stand, to be completed with a platform of your choice

Interface	Digital
Speed (rpm)	100 - 350
Amplitude (mm)	10
Maximum load (kg)	7.5
Operating mode	Continuous or timer
Part no.	861020B
€	154110~
PROMO €	925 -



DLAB

DIGITAL ROLLER SHAKER ELED



- Compatible with CO₂ rich environments

Interface	Digital
Speed (rpm)	1 - 80
Number of rollers	6 (up to 11 as an option)
Roll dimensions (mm)	Ø 28 x l. 259
Maximum load (kg)	6.5
Operating mode	Continuous or timer
Part no.	079581
€	1290~
PROMO €	945 -

thermo
scientific

TUBE REVOLVER ROTARY SHAKER



Interface	Digital
Speed (rpm)	10 - 40
Stirring angle	Adjustable 0 - 90°
Adapters included	2 x 7 tubes 10/15 ml 2 x 7 tubes 5/7 ml 2 x 15 tubes 1.5/2.0 ml 1 x 6 tubes 50 ml
Operating mode	Continuous
Part no.	079547
€	475~
PROMO €	344 -

thermo
scientific

COMBINED ROCKER AND ROTARY SHAKER ROTO-ROCK GENIE



- Unique magnetic platform with clip system for non-slip tray

Interface	Tactile
Speed (rpm)	Rocker: 1 - 70 Rotary: 1 - 35
Stirring angle	1 to 25°
Standard capacity	48 microtubes 1.5 ml or 24 centrifuge tubes 15 ml or 12 centrifuge tubes 50 ml
Maximum load (kg)	4.5
Operating mode	Continuous, timer or programming
Part number	079227
€	2463~
PROMO €	1724 -


Scientific Industries, Inc.
Home of the Multi-Task Genie™ Family

NB-205L ORBITAL SHAKER-INCUBATOR




- Supplied with non-slip platform

Model	NB-205L
Interface	Digital
Speed (rpm)	30 - 300
Orbit (mm)	22
Temperature range (°C)	Ambient +5 to +60°C
Dimensions tray (mm)	450 x 450
Part no.	995018
€	7034-
PROMO €	3869 -



According to model



NB-205L refrigerant

ROTO-THERM ROTATING STIRRER-INCUBATOR



- Supplied complete with adaptors

Model	Roto-Therm plus
Interface	Digital
Speed (rpm)	5 - 70
Stirring angle	360 °
Temperature range (°C)	Ambient +5 to +60°C
Adapters included	2 x 11 tubes 1.5/2.0 ml 2 x 5 tubes 5-7 ml 2 x 4 tubes 10-15 ml 2 x 1 tube 50 ml
Part no.	062813
€	1179-
PROMO €	818 -



CLEARLINE®BENCHTOP AUTOCLAVES



- Benchtop autoclaves for solids or liquids
- 9 or 12 litre versions
- Compact and portable
- Simple, intuitive programming
- Classic Media has a built-in safety mechanism that prevents the lid from opening until the internal temperature has dropped below 80°C



Control panel



Classic plus

Classic Podioclave

Model	Classic	Classic plus	Classic Média	Classic Podioclave
Chamber volume	9	12	12	9
Chamber size Ø x H (cm)	21 x 23	21 x 27	21 x 27	21 x 23
Sterilisation temperature (-0.5/+1 °C)	126	126	121	134
Sterilisation time (min)	11	11	28	3
Pressure (Bar)	1.6	1.6	1.05	1.6
Maximum cycle time	22	22	70	20
Type of products	Unpackaged solids	Unpackaged solids	Liquids only	Unpackaged solids
Load weight	3 kg	4 kg	2 x 500 ml	3
Dimensions Ø x H (cm)	34 x 33.5	34 x 42	34 x 42	34 x 33.5
Weight (kg)	5.4	6.3	6.3	5.4
Type of lid	Standard	With handle and thermometer	Standard	Standard
Printer	No	No	Optional	Yes
Equipment	Basket	Basket	Basket	Basket
Part no.	434000	434001	434002	434003
€	1435-	1902-	1599-	2143-
PROMO €	1100 -	1450 -	1350 -	1550 -

THERMO SCIENTIFIC ELED DIGITAL DRY BATH

thermo
scientific



According
to model



- Delivered without a stand, to be completed with a block of your choice

Model	Digital
Number of blocks	1
Temperature range (°C)	Ambient +5 to +130°C
Accuracy at 37 °C	± 0.5°C
Operating mode	Continuous or timer
Part no.	079615
€	485 -
PROMO €	352 -

AQUA-STABIL WATER BATH DISINFECTANTS



- Bactericide, algicide

Part no.	Designation	Units/ box	€/box	€ PROMO
067752A	Aqua-Stabil disinfectant 100 ml bottle	1	52.10 -	39.10 -

NAVIGATOR™ PORTABLE SCALE



Model	NVT 6200
Maximum capacity (g)	6200
Display accuracy (mg)	1 000
Tray size (mm)	230 x 174
Part no.	333532
€	176.50 -
PROMO €	141 -

ANTI-VIBRATION PLATFORM



- In granite
- Adjustable levelling feet

Dimensions (W x D x H) (mm)	550 x 450 x 65
Weight (kg)	45
Part no.	677856
€	994 -
PROMO €	667 -

BRUSHED STAINLESS STEEL GRINDER 50 G

SEVERIN



Fast grinding of hard foods such as coffee, seeds..

- Shredder for small quantities
- Only works if the cover is in place
- Degree of grind adjustable at the touch of a button
- Non-slip feet

Power	150 Watts
Dimensions H x W x D (cm)	17.5 x 9.1 x 9.1
Weight (kg)	0.79
Part no.	067270
€	42.70 -
PROMO €	30 -

ULTRASONIC BATH

Elma

WARRANTY
2
YEARS

- 5 ultrasound modes for better results
- Supplied with lid
- Supplied without basket

Model	Select 30
Volume (l)	1.6
Internal dimensions W x D x H (mm)	95 x 120 x 220
Temperature range	+40 to +80 °C
Ultrasonic frequency (kHz)	37
Operating mode	Continuous, timer, degas, Eco, Sweep, Dynamic
Bath part no	497715
€	626 -
PROMO €	563 -



STERILE WEIGHING PLATFORMS

- Made from 100% virgin polystyrene
- Electron beam sterilisation in accordance with ISO 11137-3:2017
- Antistatics

Part no.	Dim. L x W x H (mm)	Shape	Volume (ml)	Packaging units	Units/box	€/box	€ PROMO
320687	85 x 85 x 24	Square	85	5	200	135.60 -	97 -



FUEGO SAFETY BURNER



Infrared sensor	By click or double-click
Alarms	Audible and visual
Thermoregulation on heated solution	From +35 to +350 °C
Part no.	788012
€	1104 -
PROMO €	741 -

MICROBIO ELECTRIC SPOUT + REGULATOR PACK



WARRANTY
3
YEARS

- Creates a sterile space with a 30cm radius
- Suitable for most applications of a standard gas burner

Maximum temperature (°C)	880
Part no.	063137
€	754 -
PROMO €	641 -

MICROCENTRIFUGES



- Ideal microcentrifuge for concentrating drops at the bottom of the tube: microtubes or PCR tubes
- Compact design
- Silent (≤ 45 dB)
- Easy to use: automatic start-up and switch-off when the lid is closed/opened

Supplied with 2 rotors:

- + a rotor for 8 microtubes 0.2 / 0.5 / 1.5 / 2.0 ml
- + a rotor for 4 strips of 8 PCR tubes

Speed (rpm)	7000	
RCF acceleration (g)	2680	
Capacity	8 microtubes or 32 0.2 ml PCR tubes	
Colour	Grey	Red
Part no.	258353	258352
€	250 [~]	250 [~]
PROMO €	180 -	171 -

PALM MICROCENTRIFUGES



These centrifuges are ideal for laboratory routines: short centrifugation, microfiltration and cell separation.

- Screen: Oled with speed and time display
- Quiet, economical engine

Supplied with:

- + rotor for 12 x 1.5/2 ml and 32 x 0.2 ml tubes and strips,
- + 2 sets of 0.2 ml and 0.5 ml adapters.

Model	Colour grey - black	Colour red
Capacity	- 12 x 0.5/1.5/2 ml microtubes / - 44 x 0.2 ml PCR tubes - 4 strips of 8 PCR tubes of 0.2 ml	
Speed (rpm)	2000 - 10 000 - increments of 1000	
Max. RCF	- 6708 g for 1.5/2 ml tubes - 6596 g - 7490 g for strips	
Acceleration and deceleration settings	1 notch 2 notches	
Part no.	258366	258368
€	399 [~]	399 [~]
PROMO €	280 -	280 -

MICROCENTRIFUGE FOR PLATES, STRIPS AND TUBES

- Concentrates droplets and condensation at the bottom of the tube
- For standard plates, skirted or unskirted
- Also for centrifuging 8 x 0.2 ml strips and 0.2 ml tubes (adapters supplied)
- To be used before and after PCR amplification

Model	MPC-P25
Capacity	2 PCR plates, 2 Elisa plates, 2 x 12 strips 8 x 0.2ml or 2 x 96 tubes 0.2 ml
Max. speed (rpm)	2200
Max centrifugal force (g)	480
Timer	0 - 10 min
Dim. (W x D x H) (mm)	290 x 360 x 140
Weight (kg)	3.6
Part no.	531509
€	877 [~]
PROMO €	585 -



INDIVIDUAL MICROCENTRIFUGE



For short centrifugations and microfiltration.

- On/off switch
- Long-lasting lid

Delivered with:

- + rotor for 1.5/2 ml microtubes,
- + rotor for 8 x 0.2 ml PCR microtubes strip,
- + adapters for 0.2 ml tubes, and adapters for 0.5 ml tubes.

Maximum capacity	8 x 1.5/2 ml microtubes or 4 strips of 8 x 0.2 ml microtubes
Number of rotors	2 Rotors included
Speed (rpm)	6500
RCF acceleration (g)	2000
Dim W x L x H (mm)	145 x 160 x 132
Weight (kg)	1.12
Part no.	531003
€	512 [~]
PROMO €	195 -

CLEARLINE® MICROCENTRIFUGE FOR PCR PLATES

ClearLine



Before and after centrifugation



During centrifugation

- Unique free rotor design prevents splashing
- Smaller size
- Accepts all types of PCR plates, microplates, and Deepwell plates (with optional rotor)

Speed (rpm)	2550
RCF acceleration (g)	400
Capacity	2 PCR plates * or 2 microplates or 192 PCR tubes 0.2 ml or 24 strips of 8 tubes
Deceleration (s)	7
Dimensions (W x L x H) (mm)	230 x 260 x 197
Weight (kg)	4
Part no.	062583CL
€	835 -
PROMO €	569 -

* Maximum capacity 4 plates in a stack (with optional deepwell rotor)

ADAPTER AND ROTOR

Part no.	Designation	€
062584	Adapter for 0.2 ml PCR tubes (2 units)	92.80 -
062585	Rotor for Deepwell plates (max. height 35 mm)	319 -

IZIDEFROST+ FROST EXTRACTOR FOR FREEZERS

izibio



An essential Hoover for defrosting freezers.

- Very easy and practical to use, it promotes regular defrosting and eliminates the need to turn off the freezer
- Regular defrosting reduces electricity consumption costs and extends equipment life
- Equipped with a stainless steel scraper
- Equipped with a Hepa filter at the air outlet: prevents contamination if a sample is aspirated
- 22L stainless steel tank
- Can be used on -20°C/-30°C, -80°C and -150°C freezers

Power (w)	1200
Mains frequency (Hz)	50-60
Air flow rate (l/s)	62
Noise level (dba)	61
Part no.	111115
€	4070 -
PROMO €	3290 -

Easy to use and effective

ICE MACHINES

BREMA
Ice Makers



With reserve - grain ice.

Model	GB 601 A-HCX	GB 902 A-HCX	GB 903 A-HCX
Dimensions W x D x H (mm)	450 x 620 x 680	500 x 660 x 690	500 x 660 x 800
Condenser cooling	Air	Air	Air
Production in 24 h* (kg)	67	105	105
Capacity / reserve	10	20	30
Type of ice	Grain	Grain	Grain
Power (Watt)	400	470	470
Cooling fluid	R-290	R-290	R-290
Water consumption (l/kg)	1	1	1
Part no.	670600C	670345C	670347C
€	3830 -	3970 -	4202 -
PROMO €	2850 -	2950 -	3050 -

* For air/water temperature 21/15 °C.

ACCESSORIES

Part no.	Designation	€
670353B	Complete anti-scale system with 1 cartridge	429 -
670354	Kit of 2 spare cartridges	109 -

MICROWAVE OVENS



Model	MW7751	MW7772
Dimensions W x D x H (mm)	452 x 380 x 262	428 x 305 x 517
Volume (l)	20	28
Power (W)	800	900
Grill	YES	NO
Colour	Silver	
Programming and timer	Metallic	
Tray diameter (mm)	24.5	31.5
Weight (kg)	12.7	14.4
Part no.	067232	067241
€	218 ~	212 ~
PROMO €	125 -	130 -

CLEARLINE® DNA AND PCR WORKSTATIONS



- UV chamber with bactericidal UV lamps of wavelength 254 nm
- Models with glass or plexiglass walls
- Digital timer
- Internal lighting: white light (15 W lamp)
- Passage through the chamber for external connection

- Ideal for safe sample preparation:
 - UV radiation disinfects the inner surface, deactivating any DNA/ RNA, in 15-30 min
 - automatic shut-off of radiation when the door is opened
 - bactericidal chamber decontamination system, by cleaning-air circulation
 - ozone-free radiation



Model	Plexiglas	Glass
	UV radiation	
Wavelength (nm)	253.7	
UV lamp	1 x 25 W	
UV intensity	15mV/cm/s	
UV recirculator (efficiency ' 99% / h)	1 x 25 W	
	Other information	
Ext. dim. (mm) L x D x H	690 x 535 x 555	
Work surface (mm)	650 x 475	
Net weight (kg)	23	31
Gross weight (kg)	33	39
Power consumption	253 W ; 1.2 A	
Part no.	490005	490005B
€	3291 ~	4420 ~
PROMO €	1950 -	2250 -



STRAIGHT MICROSCOPE

OPTIKA
MICROSCOPES



With light background

Model	Light background equipment	Head	Part no.	€	€ PROMO
B-192	- Eyepieces 10x/18 mm - Lens: 4x / 10x / 40x / 100x (oil) - 4 position revolver - Mechanical stage x,y - Abbe Condenser O.N. 1.25 - LED	Binocular	670149B	738~	450 -

Other models, please consult us.

ACCESSORIES

Part no.	Designation	€	€ PROMO
670959	Optical cleaning kit	22.90~	12 -
670957	Immersion oil 10 ml	12.80~	9.90 -

BINOCULAR MICROSCOPE

OPTIKA
MICROSCOPES



- Binocular microscope
- For teaching and routine laboratory work
- Turret with 4 lenses
- To connect to our C-P6 camera, use part number 671186

Model	Binocular model B-292
Lighting	X-LED
Observation technique	White Light
Focus	Coaxial macro and micrometric focusing system (graduated, 0.002 mm) with stop system, to prevent contact between the lens and the sample
Turret	4 positions 4X, O.N. 0.10, W.D. 15.2 mm 10X, O.N. 0.25, W.D. 5.5 mm 40X, O.N. 0.65, W.D. 0.45 mm 100X, O.N. 1.25, W.D. 0.13 mm (oil) All lenses are treated with anti-fungal system
Objectives	
Part number	671215
€	854~
PROMO €	545 -

ACCESSORIES

Part no.	Designation	€	€ PROMO
670959	Optical cleaning kit	22.90~	12 -
670957	Immersion oil 10 ml	12.80~	9.90 -

SAFEVAC SUCTION SYSTEMS

- Level sensor to prevent overflow
- Supplied with pump, bottle, cap, handle, hoses, sensor and suction syringe

Volume (l)	4
Suction (mbar)	0-600
Suction speed	1-15 ml / sec
Part no.	861142
€	1234.10~
PROMO €	864 -

SHENCHEN



LABV PERISTALTIC PUMP

- For distribution and transfer applications requiring programming
- Supplied with a control pedal

Model	LabV1
Interface	Digital
Speed (rpm)	0.1 - 150
Flow rate (ml / min)	0.0053 - 775
Mode of operation	Continuous, timer, distribution or programmes
Programming	1 programme, x steps (+ repetitions)
Part no. Pump + EasyPump I head	129123
€	1834.70~
PROMO €	1101 -

more products
dulis.be / dulis.nl



CELL CULTURE

CORNING RANGE ~ CLASSIC CULTURE MEDIA

CORNING



- On site manufacturing cGMP
- ISO 13485:2003 Certified
- Sterile (SAL 10-3)
- Liquids made with WFI water



Type of media	L-Glutamine	Sodium pyruvate	Phenol red	HEPES	Glucose	Sodium bicarbonate	Thyoglycerol	β-Mercaptoethanol	Earle's Salt	Calcium & Magnesium	Nucleoside	L-Cystine / L-Methionine	Part no.	Corning part no.	Vol. (ml)	Units/ box	€/ box	PROMO €
DMEM medium	+	+	+	-	4,5 g/L								702504	10-013-CVR	500	6	82.80~	25 -
	-	+	+	-	4,5 g/L								702549	15-013-CVR	500	6	87.10~	24 -
	-	-	+	-	4,5 g/L								702555	15-017-CVR	500	6	206~	26 -
50/50 Mix DMEM and HAM F-12 medium	+	+	-	-		+							702566	16-405-CVR	500	6	248~	33 -
MEM Alpha medium	-	+	+			+			+	-			702547	15-012-CVR	500	6	244~	28 -
F-12K nutrient medium	+	+	+		+	+							702515	10-025-CVR	500	6	275~	34 -
Kaighn modification	+		+	-	+	+						+	702519	10-040-CVR	500	6	83.80~	25 -
RPMI 1640 Medium	+		+	25 mM		+						+	702523	10-041-CVR	500	6	126.90~	26 -
	-		+	-		+						+	702559	15-040-CVR	500	6	90.10~	24 -

BUFFERED SALINE SOLUTIONS

CORNING

HBSS

Part no.	Corning part no.	Designation	Phenol red	Vol.	Units/ box	€/ box	PROMO €
702583	21-022-CVR	Without calcium without magnesium	Without	500 ml	6	100.70~	27 -

DPBS

Part no.	Corning part no.	Designation	Vol.	Units/ box	€/ box	PROMO €
702587	21-030-CVR	1 X, with calcium and magnesium	500 ml	6	70.80~	24.30 -
702589	21-031-CVR	1 X, calcium-free, magnesium-free	500 ml	6	63.50~	25 -



MOLECULAR BIOLOGY

DECONTAMINATION

DNA-EXITUSPLUS IF, RNASE-EXITUSPLUS

Exitus range for the decontamination of workbenches and equipment before handling in molecular biology

- Non-corrosive, non-toxic and environmentally friendly solutions
- The two solutions can be used sequentially to remove both DNA, RNA and RNases (DNA exitus then RNase Exitus)
- DNA Exitus for the removal of nucleic acids (DNA and RNA) from surfaces and equipment (pipettes, PCR hood, microtube...)
- RNase Exitus plus RNase removal from surfaces and equipment (pipettes, PCR hood, microtube...)

PanReac
AppliChem
ITW Regents



Part no.	Designation	Volume	€	PROMO €
049912	RNase-ExitusPlus	500 ml	72.30	34 -
049929	DNA-ExitusPlus IF	500 ml	71.10	31 -

ULTRAFILTRATION/CONCENTRATION

CONCENTRATORS VIVASPIN

SARTORIUS

Suitable for concentration, purification and desalting of biological solutions, removal of primers, amino acids and nucleotides.

- Large filtration area for excellent flow and fast concentration
- Low-retention materials and anti-drying system for maximum recovery rate
- Diaphragms inclined parallel to the centrifugal force, for superior efficiency without clogging
- High concentration factor: 100 to 400 fold



VIVASPIN TURBO 4 AND 15:

Double membrane system for increased concentration speed

	Vivaspin Turbo 4					Vivaspin Turbo 15				Vivaspin Turbo 15RC			
Max. sample volume (ml)	4					4 to 15				4 to 15			
Min. concentrator volume (µl)	30					100				100			
Filtration area (cm²)	3.2					7.2				8.1			
Max. concentration factor	x 133					x 150				x 150			
Dead volume	< 10 µl					< 10 µl				< 10 µl			
Type of centrifuge	All types with 15 ml tube					All types with 50 ml tubes				All types with 50 ml tubes			
Recommended centrifugal force*	4000 g					4000 g				4000 g			
Membrane type**	Double PES membrane					Double PES membrane				Regenerated cellulose			
Tank type	PP & butadiene-styrene					PP & butadiene-styrene				PP & butadiene-styrene			
kDa	Part no.	Units/box	€/box	€ PROMO	Part no.	Units/box	€/box	€ PROMO	Part no.	Units/box	€/box	€ PROMO	
3	150494	25	265→	210 -	150205	12	173→	136 -	-	-	-	-	
3	150495	100	767→	579 -	150206	48	634→	539 -	-	-	-	-	
5	146693B	25	265→	206 -	150207	12	173→	136 -	845298	12	176→	139 -	
5	146694B	100	767→	579 -	150208	48	634→	539 -	147091	48	644→	494 -	
10	146695B	25	265→	212 -	150209	12	173→	136 -	845296	12	176→	139 -	
10	146696B	100	767→	579 -	150210	48	634→	539 -	845297	48	644→	499 -	
30	146697B	25	265→	212 -	150211	12	173→	136 -	845299	12	176→	139 -	
30	146698B	100	767→	579 -	150212	48	634→	539 -	845300	48	644→	499 -	
50	146699B	25	265→	212 -	150213	12	173→	136 -	147096	12	176→	135 -	
50	146700B	100	767→	579 -	150214	48	634→	539 -	147097	48	644→	494 -	
100	146701B	25	265→	212 -	150215	12	173→	149 -	147098	12	176→	135 -	
100	146702B	100	767→	579 -	150216	48	634→	539 -	845301	48	644→	499 -	

* Depending on membrane type and cut-off ** Regenerated cellulose, PES

THERMAL CYCLER ~ AMPLIFICATION ~ PCR AND QPCR PLATES

TURBOCYCLER 2 GRADIENT THERMAL CYCLER



- 96-well gradient block compatible with PCR tubes, strips, standard and low profile plates (skirted, unskirted and semi-skirted)
- 7" colour touch screen that can be operated with laboratory gloves
- Intuitive control interface with icons and graphics
- Heated lid
- Temperature gradient over 12 columns

Block temperature range (°C)	4 to 99.9
Gradient range (°C)	1 to 24.9
Gradient temperature range (°C)	30 to 99
Lid temperature (°C)	35 to 120 or inactive
Homogeneity of the block (°C)	± 0.3
Block temperature accuracy (°C)	± 0.3
Max. heating speed (°C/sec)	5.5
Max. cooling speed (°C/sec)	3.3
Configurable temperature ramp (°C/sec)	0.1 to 5.5
Recordable programmes	500
Interface	USB, WIFI (optional)
Part no.	255200
€	4900~
PROMO €	3290 -

CLEARLINE® SOLIDFRAME BI-COMPONENT PCR PLATES




- High quality plates for all PCR and qPCR applications
- Rigid polycarbonate frame prevents deformation due to temperature and the risk of evaporation due to loss of watertightness with the film
- Ultra-thin walled blank medical grade polypropylene wells for optimum temperature transfer
- HS (high sensitivity) white well model for improved detection of low abundance targets

96-WELL PLATES, LOW PROFILE (0.1 ML)

Frame colour	Well colour	Skirt	Part no.	€	PROMO €
Natural	Natural	Half-skirted	257296	218.20~	135 -
Natural	White	Half-skirted	257297	218.20~	141 -

B-FRAME 96-WELL PCR PLATES WITH RIGID BIOCOMPOSITE FRAME



- Rigid frame made of 46-50%* sustainably harvested plant biomass
- High quality plate for all PCR and qPCR applications
- Ultra-thin walled blank medical grade polypropylene wells for optimum temperature transfer

- Lighter plates, 10% reduction in carbon footprint from transportation



Type of plate	96-well semi-skirted plate, standard profile, universal style
Units/box	50
Natural wells	421121
White wells	421122
€	304.80~
PROMO €	141 -



Visit Dulis.be or Dulis.nl to find out about the compatibility of Arvensis sheets in the technical note associated with the part numbers.


AMPLIFICATION ~ PCR AND QPCR FILMS

THERMALSEAL® RTS™ CLEARLINE® FILMS



- Applications: qPCR, long-term storage, crystallography and HLPC
- Made of 50.8 µm polyofil
- Operating temperature: -80 °C to +105 °C
- For all types of plates
- Optically clear, low autofluorescence
- Silicone adhesive is released only when pressure is applied for a perfect adhesion without interference with the sample

Part no.	Designation	Units/box	€/box	PROMO €
765246	ThermalSeal® RTS™ ClearLine® film	100	404~	170 -
765265	ThermalSeal® RTS™ ClearLine® sterile film	100	265~	120 -



AMPLIFICATION ~ REAGENTS



SET OF DNTPS



- Purity > 99 %
- Free from DNA and PCR inhibitors
- Consistent PCR results thanks to exceptional dNTP stability
- 100 mM solution of dATP, dCTP, dGTP and dTTP in separate tubes

Part no.	Designation	Units/box	€/box	€ PROMO
033785B	Set of dNTPs (100 mM per base) 4 x 250 µl tubes	100	83.20~	58 -
035550	Set of dNTPs (100 mM per base) 4 x 1 ml tubes	100	267~	186 -

MOLECULAR BIOLOGY GRADE WATER



PanReac
AppliChem
ITW Reagents

- For all sensitive molecular biology applications
- Maximum purity for reproducible results
- Free from DNAase, RNAase and pyrogens

Part no.	Designation	€	€ PROMO
348644	Molecular biology grade water 500 ml	22.30~	14.80 -

ELECTROPHORESIS ~ ELECTROPHORESIS SYSTEM

MUPID-ONE ELECTROPHORESIS CHAMBER

Tank

- Can be used with multichannel pipettes: 9 mm interwell distance for 13 deposits or 4.5 mm for 26 deposits
- The material used for the tank allows direct observation of the samples under UV: transmission of 50% at 254 nm and 80% at 312 nm

Trays

- 12 cm long tray, supplied as standard with two trays of 6 cm migration length

Generators

- Security detector: Photosensor that detects the presence of the cover
- Timer: programmable from 0 to 99 min or continuous operation
- Memory function: the last migration is stored in time and voltage

Chamber supplied complete with tank, lid, generator, 4 combs, 2 small trays, 1 large tray and 1 gel preparer
With on/off switch at the back of the unit.



Part no.	Designation	€	€ PROMO
088900	MUPID-ONE tank and 230 V generator (supplied complete with lid, trays, combs and gel dispenser)	820~	465 -

ELECTROPHORESIS ~ REAGENTS

AGAROSE LOW EEO OZYME CLEARLINE

- Low electroendosmosis (low EEO) agarose
- Ideal for all common electrophoresis applications (analytical and preparative)
- Fine resolution of DNA
- DNase/RNase free

EEO	0.05 - 0.13
Gel strength (g/cm ²)	≥ 1200 (1 %) / ≥ 2500 (1.5 %)
Gelling temperature (°C)	36±1.5 °C (1.5%)
Melting temperature (°C)	88±1.5 °C (1.5%)
Packaging	500 g
Part no.	258475
€	230~
PROMO €	185 -



ClearLine

SOLUTION ELECTROPHORESIS BUFFERS

And for your migration buffers, we offer TAE and TBE 10X ready-to-use buffers from the Applichem range.

Part no.	Designation	Packaging	€	€ PROMO
348604	10X WT molecular biology grade	1 l	69.10~	28.60 -
348613	TBE 10X molecular biology grade	1 l	60.20~	20 -




6X DNA LOADING BUFFER

- Contains 3 dyes for monitoring migration: Xylene Cyanol, bromophenol blue and orange G

Part no.	Designation	€	€ PROMO
135604	6X DNA loading buffer, 3 dyes, 5ml	38.40~	30.20 -



RECYCLING RACKS: DULIS GIVES YOUR RACKS A NEW LIFE!



Discover our rack recycling programme

✓ What I can recycle



Empty **PP** rack



Empty **PP** refill tray



Empty **PP** rack with
refill tray


✗ what I can not recycle



PC : Polycarbonate



PET :
Polyethylene



Cardboard



We ask you to be particularly careful when sorting your racks, as the recycling program only covers **empty polypropylene** racks from partner brands.

✓ How does it work?

Option 1

Order a folded 1 m³ box at recycling@dulis.be



Unfold your box
(L 1,15 x W 1,10 x H 1,20 m)



Fill it with waste from **partner brands**

Send your removal request to recycling@dulis.be

Boxes must be located in an easily accessible place for easy retrieval. Collected waste is sent for plastic recycling.

Option 2

Reuse your own boxes




Fill them with waste from **partner brands**



When you reach at least 5 boxes, you can request their removal

✓ Our partner brands



TIPS & MICROPIPETTES

PIPETMAN® L

- Lightweight, ergonomic design and low pipetting force
- Adjustable ejector to suit left- and right-handed users
- Volumetric locking mechanism
- 2D traceability code for easy tracking during handling and maintenance
- Fully autoclavable without disassembly



GILSON®

PIPETMAN® L ~ SINGLE CHANNEL

Volume (µl)	Suitable tips	Increment (µl)	Plastic ejector			Metal ejector		
			Part no.	€	€ PROMO	Part no.	€	€ PROMO
0.2 - 2	D(F)(L)10	0.002	070053	341~	228 -	070047	341~	228 -
0.5 - 10		0.02	070054	341~	228 -	070048	341~	228 -
2 - 20	D200, DF30	0.02	070055	341~	228 -	070049	341~	228 -
10 - 100	D200, DF100	0.2	070056	341~	228 -	070050	341~	228 -
20 - 200	D(F)200, D(F)300	0.2	070057	341~	228 -	070051	341~	228 -
100 - 1,000	D(F)1000, D(F)1200	2	070058	341~	228 -	070052	341~	228 -
500 - 5,000	D5000	2	070059	341~	228 -	-	-	-
1,000 - 10,000	D10 ml	20	070060	341~	228 -	-	-	-

Available with ISO 17025 calibration certificate (Cofrac approved).

PIPETMAN® L ~ MULTICHANNEL

PIPETMAN® L ~ MULTICHANNEL			8 channels			12 channels		
			Standard			Standard		
Volume (µl)	Suitable tips	Increment (µl)	Part no.	€	€ PROMO	Part no.	€	€ PROMO
0.5 - 10	D(F)(L)10	0.02	070063	960~	633 -	070064	1111~	756 -
2 - 20	D(F)L10, D200, DF30	0.02	070065	960~	633 -	070066	1111~	756 -
20 - 200	D(F)200, D(F)300	0.2	070067	960~	633 -	070068	1111~	756 -
20 - 300		0.2	070069	960~	633 -	070070	1111~	756 -
100 - 1200	D(F)1200	2	067538	1257~	756 -	067536	1155~	845 -

Available with ISO 17025 calibration certificate (Cofrac approved) (add a C behind the part no.).



CAROUSEL FOR PIPIETMAN®

Part no.	Designation	€	€ PROMO
066088	Carousel for 7 micropipettes	139~	94 -

* Supplied with double-sided adhesive tape and screws.



GILSON PIPETMAN® DIAMOND FILTER TIPS

GILSON®



Gilson PIPETMAN® DIAMOND tips guarantee the precision, accuracy and repeatability specifications of your PIPETMAN®.

• Free of trace metals

Volume (µl)	Type	Part no.	TIPACK sterilised
0.1 - 10	DF10	Part no. 066059	
		€ per 960	183.10~ 64 -
0.1 - 10	DFL10**	Part no. 066060	
		€ per 960	183.10~ 64 -
2 - 30	DF30	Part no. 066061	
		€ per 960	165.30~ 58 -
20 - 100	DF100	Part no. 066062	
		€ per 960	165.30~ 58 -
20 - 200	DF200	Part no. 066063	
		€ per 960	165.30~ 58 -
20 - 300	DF300	Part no. 066064	
		€ per 960	165.30~ 58 -
200 - 1000	DF1000	Part no. 066065	
		€ per 960	196.10~ 69 -
100 - 1200	DF1200ST	Part no. 066603	
		€ per 960	231~ 81 -



SARTORIUS BIOHITFAMILY PICUS 2 ELECTRONIC PIPETTES

SARTORIUS



- Adjustable calibration in 1, 2 or 3 points
- Warranty: 2 years
- Possibility of programming maintenance and calibration reminders
- Settings can be password-protected to prevent unauthorised changes
- Possibility of continuing to work while charging via micro USB cable

PICUS 2 SINGLE-CHANNEL MICROPIPETTES

Volume (µl)	Increment (µl)	Part no.	€	€ PROMO
0.2 - 10	0.01	070489	904~	750 -
5 - 120	0.1	070490	904~	750 -
10 - 300	0.2	070491	904~	750 -
50 - 1000	1	070492	904~	750 -
100 - 5000	5	070493	904~	750 -
500 - 10000	10	070494	904~	750 -

PICUS 2 MULTICHANNEL MICROPIPETTES

Volume (µl)	Increment (µl)	8 channels			12 channels		
		Part no.	€	€ PROMO	Part no.	€	€ PROMO
0.2 - 10	0.01	070495	1446~	1178 -	070499	1698~	1382 -
5 - 120	0.1	070496	1446~	1157 -	783501	1698~	1382 -
10 - 300	0.2	070497	1446~	1178 -	783502	1698~	1382 -
50 - 1200	1	070498	1446~	1157 -	783503	1698~	1350 -

ACCESSORY

Part no.	Designation	€	€ PROMO
070776	Carousel charging rack for 4 electronic micropipettes with adapter	646~	499 -



PIPETBOY ACU 2

- For any pipette from 1 to 100 ml
- Dimmer for adjustment according to the viscosity of the liquid being pipetted
- Supplied with wall bracket and mains adapter
- With lithium polymer battery to guarantee 6 hours of operation
- Battery status display
- Weight: 195 g

Colour	Green	Red	Blue	Crystal	Purple	€	€
Part no.	060200	060201	060202	060203	060211	474~	PROMO 260 -



INTEGRA

CALIBREX DISPENSERS

- Autoclavable assembled (at 121°C)
- 360° rotation of the dispenser
- The parts in contact with the liquid are chemically inert
- Delivered with:
 - 45 mm diameter base; - cap and spout: 90 mm for models 1 to 10 ml / 120 mm for models 25 to 100 ml; - 350 mm suction hose;
 - three connections: GL28, 32 and 40 for models 1 to 10 ml / GL32, 38 and 40 for models 25 to 100 ml;
 - calibration certificate and instructions for use

SOCOREX SWISS



Calibrex® 530 solutae dispenser



Calibrex® 525 organo dispenser

CALIBREX® 530 SOLUTAE DISPENSERS

- Borosilicate glass cylinder, piston with PFA coating
- Suitable for saline solutions, strong and weak acids and bases; colour-coded red

Volume (ml)	Division (ml)	Without tap			With tap		
		Part no.	€	€ PROMO	Part no.	€	€ PROMO
0.1 - 1	0.02	061995	526~	271 -	061999	602~	340 -
0.25 - 2.5	0.05	061996	526~	295 -	062000	602~	340 -
0.5 - 5	0.1	061997	526~	295 -	350342	602~	312 -
1 - 10	0.2	061998	526~	271 -	350343	602~	312 -
2.5 - 25	0.5	061842	656~	400 -	061953	754~	510 -
5 - 50	1	061843	741~	381 -	061954	821~	422 -
10 - 100	1	061844	796~	438 -	061955	847~	690 -

CALIBREX® 525 ORGANO DISPENSERS

- Frosted glass piston, borosilicate glass cylinder
- Suitable for organic solutions, non-crystallising acids and basic solutions; yellow colour code

Vol. (ml)	Division (ml)	Spout Length (mm)	Supplied with neck adapters	Without tap			With tap		
				Part no.	€	€ PROMO	Part no.	€	€ PROMO
0.1 - 1	0.02	90	GL28, GL32, GL40	061987	526~	295 -	061991	602~	340 -
0.25 - 2.5	0.05			061988	526~	295 -	061992	602~	340 -
0.5 - 5	0.1			061989	526~	295 -	061993	602~	340 -
1 - 10	0.2			061990	526~	295 -	061994	602~	340 -
2.5 - 25	0.5	120	GL32, GL38, GL40	061845	656~	347 -	061950	754~	387 -
5 - 50	1			061846	741~	430 -	061951	821~	422 -
10 - 100	1			061847	796~	438 -	061952	847~	479 -



Version with tap




100% renewable energy
+ optimised composition
+ made in Switzerland



TUBES AND RACKS

BIOBASED MICROTUBES



Products made from bio-based polymers

• Made from at least 90% renewable raw materials (e.g. waste and residues from refining vegetable oil or used cooking oil)

Manufacturing plants in Italy and Slovakia
ISCC Plus and ECT Label certified



ClearLine®



CLEARLOCK MICROTUBES

Part no.	Vol. (ml)	Colour	Model	Units/ bag	Units/ box	€	€ PROMO
395091	0.5	Natural	Standard	500	500	37.30~	17 -
395092B	1.5	Natural	Standard	500	1000	74.70~	36 -
395093B	2	Natural	Standard	500	1000	81.50~	70 -
395094	5	Natural	Standard	100	200	65.40~	41 -
395118	0.5	Natural	Low binding proteins	100	500	40.50~	21 -
395119	1.5	Natural	Low binding proteins	50	200	20.20~	11.30 -
395120	2	Natural	Low binding proteins	50	200	22.90~	13.80 -
395121	0.5	Natural	DNA low binding	100	500	40.50~	18.50 -
395122	1.5	Natural	DNA low binding	50	200	20.20~	11.30 -
395123	2	Natural	DNA low binding	50	200	22.90~	12 -


MICROTUBES WITH SCREW CAP AND SEAL

Part no.	Volume (ml)	Skirt	Units/ bag	Units/ box	€	€ PROMO
395112	0.5	No	500	1000	193.10~	121 -
395113	0.5	Yes	500	1000	193.10~	121 -
395114	1.5	No	500	1000	202~	131 -
395115	1.5	Yes	500	1000	202~	131 -
395116	2	No	500	1000	207~	131 -
395117	2	Yes	500	1000	207~	131 -

POLYPROPYLENE RACKS FOR 1.5/2 ML MICROTUBES

- Autoclavable

L x W x H (mm)	Number of tubes	For ø tubes (mm)	White	Blue	Green	Red	Purple	€	€ PROMO
143 x 90 x 52	5 x 16	11.5	330136	330137	330138	330139	330140	14.70~	8.50 -



SIMPORT ACETAL RACKS

- Ideal for incubators, freezers, fume hoods and water baths
- Stackable and submersible




L x W x H (mm)	Number of tubes	For tubes with ø (mm)	Yellow	Blue	Green	Orange	Purple	€	€ PROMO
293 x 115 x 65	5 x 12	16	039846	039842	039843	039845	039844	19.80~	9.80 -
293 x 115 x 65	3 x 6	30	039851	039847	039848	039850	039849	20.30~	9.80 -



POLYPROPYLENE FOLDING RACKS

- Stackable
- Alphanumeric marking

L x W x H (mm)	Number of tubes	For tubes with ø (mm)	Green	Purple	€ per 2	€ PROMO
255 x 137 x 72 (21 folded)	5 x 9	17	-	320055	80.70~	53 -
255 x 137 x 72 (21 folded)	3 x 6	30	320056	-	80.70~	53 -



CRYOTUBES



Part no.	Vol. (ml)	Model	Skirt	Units/bag	Units/box	€/box	€ PROMO
Cap with internal thread							
395096	1.2	1D	Yes	50	500	201~	123 -
395100	2	1D	Yes	50	500	201~	123 -
395102	2	1D	No	50	500	201~	173 -
395105	4	1D	Yes	50	500	228~	142 -
395106	4	1D	No	50	500	228~	142 -
395110	5	1D	Yes	50	500	245~	150 -
395111	5	1D	No	50	500	245~	150 -
External screw caps							
395095	1.2	1D	Yes	50	500	201~	123 -
395098	2	1D	Yes	50	500	201~	123 -
395101	2	1D	No	50	500	201~	123 -
395103	3	1D	Yes	50	500	213~	131 -
395104	4	1D	Yes	50	500	228~	142 -
395108	5	1D	Yes	50	500	245~	150 -
Cap with internal thread							
395099	2	2D	Yes	50	500	963~	410 -
395109	5	2D	Yes	50	500	963~	410 -
External screw caps							
395097	2	2D	Yes	50	500	963~	410 -
395107	5	2D	Yes	50	500	963~	410 -



CLEARLINE® WHITE CARDBOARD CRYOBOXES




- In Hydrophobic cardboard
- Operating temperature: -196 °C

Dimensions L x W x H (mm)	Divider	Tubes Ø tube No. (mm)	Tube type	White	Units/ box	€/ box	€ PROMO
133x133x51	Yes	9 x 9	12.7 Cryotube 0.5 to 2ml	972015	1	6~	1.60 -
	Yes	10 x 10	11.5 Microtube 0.5 to 2ml	972016	1	6~	1.60 -

CRYOGEN® CLEARLINE® POLYCARBONATE CRYOBOXES



- In polycarbonate
- Transparent lid, digitally marked for each slot, with cut corners
- Frosted marking area on cryobox and lid
- Version 100 pinned cryotubes
- Operating temperature: -196 °C to +121 °C
- Autoclavable at 120°C for 20 minutes
- Supplied with collector rods
- Digital marking printed on the lid



Dimensions L x W x H (mm)	Divider	Tubes No.	Tube diameter (mm)	Tube type	Blue	Green	Red	Units/box	€/box	€ PROMO
132 x 132 x 52	Yes	9 x 9	12.5	Cryotube 0.5 to 2ml	390479	390481	390480	1	5.80~	4 -

COOLCELL



- Freezing system with no alcohol or refrigerant, no extra cost, no maintenance, no waste
- Cell freezing at -1°C/minute when placed in a -80°C freezer
- Thermally conductive alloy core and insulating outer coating for constant cooling and high reproducibility
- Can be used after only 5 minutes

Model	Compatibility	Tubes No.	Dim.(Ø x H) mm	Violet	Orange	Fuschia	€	€ PROMO
CoolCell	Cryotubes 2 ml	12	117 x 109	830015	-	-	155.60~	127.80 -
CoolCell FTS30	Cryotubes 2 ml	30	165 x 115	-	830021	830102	533.28~	437.80 -

NALGENE LABTOP COOLERS

- Maintain the temperature of samples on the bench at 0°C or -20°C
- In polycarbonate
- Accept microtubes or tubes depending on the model
- The case is filled with a non-toxic gel. (lid also filled with gel on some models)

Lid	Transparent PC
Body colour	Blue
Gel lid	No
Number of tubes	4 x 5
L x W x H (mm)	225 x 165 x 105
Tube type	Cryotubes, microtubes
Temperature	-15 °C, 2 hours
Part no.	055411
€	324~
PROMO €	164.20 -



CYLINDRICAL DEWARs

- Borosilicate glass bulb 3.3DIN/ISO 3585
- For storage and transport of LN₂, CO₂ and other coolants
- Two series: cylindrical and cylindrical with handle
- Translucent lid, not included
- Operating temperature range from - 200°C to 200°C
- The glass bulbs are vacuum insulated and silver plated
- The outer casing is made of blue aluminium, anti-magnetic

Volume	Ext. ø x H (mm)	Int. ø x H (mm)	Without handle			With handle		
			Part no.	€	€ PROMO	Part no.	€	€ PROMO
1.5 litres	105 x 395	77 x 345	-	-	-	091332	364~	249 -
1.5 litres	124 x 300	90 x 245	091313	315~	219 -	-	-	-



DEWARs WITH SPHERICAL BULB FOR LIQUID NITROGEN

- 3.3DIN/ISO 3585 borosilicate glass inner bulb
- For storage and transport of LN₂
- The glass bulbs are vacuum insulated and silver plated
- Carrying handle on the case and lid

Part no.	Volume (l)	Ext. ø x H (mm)	Int. ø x H (mm)	€	€ PROMO
091370	3	225 x 380	60 x 305	844~	565 -
091371	5	260 x 450	60 x 350	968~	653 -



CUP-SHAPED DEWARs

- Used for cooling round-bottomed tubes or small samples
- Suitable for hot or cold baths
- To be completed with lids (find the lids on our website)

- Dewars

Part no.	Volume (ml)	Int. ø x H (mm)	Ext. ø x H (mm)	€	€ PROMO
092053	400	110 x 70	138 x 115	413~	238 -
092054	680	138 x 80	170 x 125	472~	280 -



WIDE OPENING STAINLESS STEEL DEWARS



- Suitable for LN₂ or CO₂ gases or hot liquids
- Interior and exterior made of stainless steel 304
- Delivered without lid (optional)
- Operating temperature: - 200 °C to + 200 °C

Capacity	1 litre
Ø x H int. (mm)	85 x 206
Ø x H ext. (mm)	100 x 225
Evaporation rate (l / d)	0,9 **

Model Handle + loop

Part no.	091717
€	737~
PROMO €	426 -

** High insulation.

ACCESSORY

Part no.	Designation	€
091723	Lid for Dewar 1 l (091717 and 091727)	62.60 -

NON-PRESSURISED CONTAINERS OF LIQUID NITROGEN TR CRYOPAL

Cryopal



TR 11



DL3 filling device for TR / part no. 082394

- For storing and transporting liquid nitrogen
- Non-pressurised containers
- Aluminium and light alloy construction with a composite neck combining low consumption, lightness and sturdiness
 - Autonomy of up to 180 days (depending on model)
 - Low evaporation rate (narrow neck)
 - Possibility of adding a filling system and pouring handle

Model	TR 11	TR 26
Capacity (l)	12.2	26
Neck diameter (mm)	50	50
Empty weight (kg)	7.5	13.5
Full weight (kg)	17.3	34.6
Outside diameter (mm)	308	388
Total height (mm)	584	669
Daily evaporation (l/d) *	0.18	0.2
Static range (d) *	67	130
Total internal height	530	612
Part no.	082269	082271
€	1220~	1414~
PROMO €	758 -	879 -

ACCESSORIES

Part no.	Designation	€	€ PROMO
082653	Base with lockable castors for TR 21, 26, 35 and 60	525~	326 -
082402	Manual tilting pourer handle for TR7/11	315~	228 -
082394	DL3 filling device for TR	1060~	686 -
082393	Simplified foot-pump liquid nitrogen filling system	832~	541 -



Base on castors / part no. 082653





PLASTIC BOTTLES

- Universal use
- Very resistant
- With a wide rim for a good grip

Part no.	Volume (l)	Dim. (mm) L x W x H	€	€ PROMO
001197	1	160 x 160 x 65	9.80 -	2.80 -
001198	3	220 x 220 x 90	16.70 -	5.90 -
001199	4.5	260 x 260 x 110	21.70 -	7 -
001200	7	300 x 300 x 125	34.90 -	11 -
001201	10	350 x 350 x 130	46.30 -	13.80 -
001202	12	390 x 390 x 140	48.50 -	14.40 -
001316	16	400 x 350 x 200	35.30 -	16.10 -

Part no.	Volume (l)	Ø x h (mm)	€	€ PROMO
001203	4.5	320 x 95	32.20	13 -
001204	7.5	350 x 125	35.10	12 -
001205	9	390 x 125	43.80	16 -



- International product identification symbols
- One-piece moulded cap and spout: perfect seal
- Recycling code and volume moulded on the base

Label	Water	Distilled water	€	€
Vol. (ml)	White	White	per 5	PROMO
250	001356	001366	57.50 ~	26 -
500	001361	001367	80.10 ~	28 -



AZLON® SAFETY WASH BOTTLES



- DripLok® valve: prevents dripping from the drip tray
- In low density polyethylene LDPE or polypropylene
- Coloured polypropylene cap moulded in one piece with the spout, with an internal lip, perfect seal
- Available with anti-drip system
- Multilingual LDPE safety washing bottles with wide neck, and non-drip system

Languages	Vol. (ml)	Red cap	Orange cap	Blue cap	Green cap	Units/box	€/box	€ PROMO
Label		Acetone	Ethanol	Isopropanol	Methanol			
At	250	090410	090411	090412	090413	5	64~	33 -
At	500	090415	090416	090417	090418	5	75:20~	34 -

A: German, French, English



CORNING® PET SQUARE AND OCTAGONAL BOTTLES

- Octagonal bottles
- Double packaging
- White HDPE screw cap 37.1 mm Ø

CORNING

Part no.	Volume (ml)	Graduated (ml)	Interval (ml)	Units/box	€/box	€ PROMO
00431729	30	10-30	10	120	373~	136.80 -
00431730	60	10-60	10	96	389~	126 -
00431731	125	25-125	25	48	305~	85.20 -
00431732	250	50-250	50	48	383~	94.80 -
00431733	500	50-500	50	24	294~	68.40 -
00431734	1 000	50-1000	50	24	379~	86.40 -



HDPE TRANSPORT AND STORAGE DRUM

- In food-grade HDPE for storing and transporting liquids or solids over short periods of time
- Stackable and waterproof
- Full opening, sealable metal toggle closure
- Can be used from -40 °C to +90 °C

Part no.	Volume (l)	€	€ PROMO
211962	30	122.70~	43 -
211955	50	161.70~	62 -
211957	100	310~	135 -



MEASUREMENT ANALYSIS

METTLER TOLEDO

SEVENDIRECT SD20 BENCHTOP PH METER METTLER TOLEDO

- Precise measurement
- Easy to use
- Intuitive interface
- Touch screen
- LPG compliant
- Settings protected against unwanted changes by 2 management levels (administrator / user)
- Automatic data transfer to PC or printer
- Setting of protected calibration data by management levels
- Closed connectors compartment
- New EasyPlace™ electrode holder supplied as standard

Part no.	Kit	Composition of the kit	€	€ PROMO
031722	SD20 Basic	Power supply, protective cover, operating instructions and EasyPlace™ electrode holder	1120~	865 -
031726	SD20 Kit	SD20 Basic + Inlab Expert Pro-ISM electrode and buffer solution in bag (2 of pH 4.01 / 7.00 and 9.21)	1480~	1144 -
031733	SD20 Stirrer kit	SD20 Basic + Inlab Expert Pro-ISM electrode and buffer solution in bag (2 of pH 4.01 / 7.00 and 9.21) and EasyMix magnetic stirrer	1740~	1345 -
031727	SD20 KA Kit	SD20 Basic + Inlab Routine Pro-ISM electrode and buffer solution in bag (2 of pH 4.01 / 7.00 and 9.21)	1570~	1100 -
031728	SD20 Organic Kit	SD20 Basic + Inlab Science Pro-ISM electrode and buffer solution in bag (2 of pH 4.01 / 7.00 and 9.21)	1700~	1314 -
031729	SD20 Pure H2O Kit	SD20 Basic + Inlab Pure Pro-ISM electrode and buffer solution in bag (2 of pH 4.01 / 7.00 and 9.21)	1720~	1329 -
031730	SD20 Solids Kit	SD20 Basic + Inlab Solids Pro-ISM electrode and buffer solution in bag (2 of pH 4.01 / 7.00 and 9.21)	1650~	1125 -
031731	SD20 Viscous Kit	SD20 Basic + Inlab Viscous Pro-ISM electrode and bagged buffer solution (2 of pH 4.01 / 7.00 and 9.21)	1800~	1391 -
031732	SD20 Low Vol Kit	SD20 Basic + Inlab Micro Pro-ISM electrode and buffer solution in bag (2 of pH 4.01 / 7.00 and 9.21)	1750~	1292 -



SD20		
Measuring range	pH	-2.000 to 20.000
	mV	-2000.0 to 2000.0
	Temperature	-30.0 to 130.0 °C
Resolution	pH	0.1 / 0.01 / 0.001
	mV	0.1 / 1
	Temperature	0.1 °C
Accuracy	pH	± 0.002
	mV	± 0.1 (-500.0 to 500 mV) ± 0.2 (remaining range)
	Temperature	± 0.1 (0 to 100 °C)
PH calibration	Method	Linear or segmented
	Number of points	From 1 to 5

SEVENDIRECT SD23 BENCHTOP PH / CONDUCTIVITY METER METTLER TOLEDO

METTLER TOLEDO

- Precise measurement
- Easy to use
- Intuitive interface
- Touch screen
- LPG compliant
- Settings protected against unwanted changes by 2 management levels (administrator / user)
- Automatic data transfer to PC or printer
- Setting of protected calibration data by management levels
- Closed connectors compartment
- New EasyPlace™ electrode holder supplied as standard

SD23		
Measuring range	pH	-2.000 to 20.000
	Conductivity	0.000 µS/cm to 2000 mS/cm
	Salinity	0.00 to 80.00 PSU
	Resistivity	0.00 to 100.0 MΩ/cm
	mV	-2000.0 to 2000.0
Resolution	Temperature	-30.0 to 130.0 °C
	pH	0.1 / 0.01 / 0.001
	Conductivity	Auto range - max 0,001
	mV	0.1 / 1
	Temperature	0.1 °C
Accuracy	pH	± 0.002
	Conductivity	0.5% of the measured value
	mV	± 0.1 (-500.0 to 500 mV) ± 0.2 (remaining range)
	Temperature	± 0.1 (0 to 100 °C)
PH calibration	pH	Linear or segmented method
	pH	From 1 to 5 points
	Conductivity	Linear method or manual cell constant
	Conductivity	1 or 2 points



Part no.	Kit	Composition of the kit	€	€ PROMO
031725	SD23 Basic	Power supply, protective cover, operating instructions and EasyPlace™ electrode holder with 3 slots	2340~	1809 -
031742	SD23 Kit	SD23 Basic + Inlab Expert Pro-ISM electrode, Inlab 731-ISM probe and buffer/calibration solution (2 bags of pH 4.01 / 7.00 / 9.21 / 1413 µS/cm and 12.88 mS/cm)	2940~	2272 -
031743	SD23 Pure H2O Kit	SD23 Basic + Inlab Pure Pro-ISM electrode, Inlab 741-ISM probe and buffer/calibration solution (2 bags of pH 4.01 / 7.00 / 9.21 and 84 µS/cm)	3230~	2497 -

METTLER TOLEDO SEVENDIRECT SD30 BENCHTOP CONDUCTIVITY METER

- Precise measurement
- Easy to use
- Intuitive interface
- Touch screen
- BPL compliant
- Settings protected against unwanted changes by 2 management levels (administrator / user)
- Automatic data transfer to PC or printer
- Setting of protected calibration data by management levels
- Closed connectors compartment
- New EasyPlace™ electrode holder supplied as standard

SD30		
Measuring range	Conductivity	0.000 µS/cm to 2000 mS/cm
	Salinity	0.00 to 80.00 PSU
	Resistivity	0.00 to 100.0 MΩ·cm
	Temperature	-30.0 to 130.0 °C
Resolution	Conductivity	Auto range - max 0,001
	Temperature	0.1 °C
Accuracy	Conductivity	0.5% of the measured value
	Temperature	± 0.1 (0 to 100 °C)
Calibration	Conductivity	Linear method or manual cell constant
	Conductivity	1 or 2 points



Tip

Catalogue 2025: see pages 360 and 361 for Inlab electrodes and pages 375 and 376 for buffers and standard conductivity solutions.



031734



Part no.	Kit	Composition of the kit	€	€ PROMO
031723	SD30 Basic	Power supply, protective cover, operating instructions and EasyPlace™ electrode holder with 3 slots	1570~	1213 -
031734	SD30 Kit	SD30 Basic + Inlab 731-ISM probe and calibration solution in bag (2 bags of 1413 µS/cm and 12.88 mS/cm)	2010~	1390 -
031735	SD30 Pure H2O Kit	SD30 Basic + Inlab 741-ISM probe and calibration solution in bag (2 bags of 84 µS/cm)	2230~	1724 -

METTLER TOLEDO SEVENDIRECT SD50 BENCHTOP PH / IONOMETER

METTLER TOLEDO

- Precise measurement
- Easy to use
- Intuitive interface
- Touch screen
- LPG compliant
- Settings protected against unwanted changes by 2 management levels (administrator / user)
- Automatic data transfer to PC or printer
- Setting of protected calibration data by management levels
- Closed connectors compartment
- New EasyPlace™ electrode holder supplied as standard

SevenDirect SD50		
Measurement range	pH	-2.000 to 20.000
	mV	-2000.0 to 2000.0
	Ion (mmol/l, mol/l, mg/l, ppm)	0.000 - 100.000
	Temperature	-30.0 to 130.0 °C
Resolution	pH	0.1/0.01/0.001
	mV	0.1/1
	Ion (mmol/l, mol/l, mg/l, ppm)	0.00001
	Temperature	0.1 °C
Accuracy	pH	± 0.002
	mV	± 0.1 (-500.0 to +500.0 mV) ± 0.2 (remaining range)
	Ion (mmol/l, mol/l, mg/l, ppm)	± 0.002
	Temperature	± 0.1 (0 to 100 °C)
PH calibration	pH	Linear or segmented method with 1 to 5 points
	Ion (mmol/l, mol/l, mg/l, ppm)	



more info
dolis.be / dolis.nl

Part no.	Kit	Composition of the kit	€	€ PROMO
031724	SD50 Basic	Power supply, protective cover, operating instructions and EasyPlace™ electrode holder with 3 slots	1410~	1090 -
031736	SD50 Kit	SD50 Basic + Inlab Expert Pro-ISM electrode and calibration solution in bag (2 bags of pH 4.01, 7.00 and 9.21)	1720~	1329 -
031741	SD50 F-ion kit	SD50 Basic + PerfectION™ Fluoride electrode	2450~	1894 -
031737	SD50 HA kit	SD50 Basic + Inlab Routine Pro-ISM electrode and calibration solution in sachet (2 sachets of pH 4.01, 7.00 and 9.21)	1840~	1422 -
031738	SD50 Organic kit	SD50 Basic + Inlab Science Pro-ISM electrode and calibration solution in bag (2 bags of pH 4.01, 7.00 and 9.21)	1980~	1530 -
031739	SD50 Pure H2O kit	SD50 Basic + Inlab Pure Pro-ISM electrode and calibration solution in bag (2 bags of pH 4.01, 7.00 and 9.21)	1990~	1538 -
031740	SD50 Pure H2O kit	SD50 Basic + Inlab Micro Pro-ISM electrode and calibration solution in bag (2 bags of pH 4.01, 7.00 and 9.21)	2020~	1561 -

CHEMISTRY

ALL "INORGANIC" SINGLE-COMPONENT CPACHEM STANDARDS ARE ~15 %
ON OUR WEBSITE DULIS.BE OR DULIS.NL

SAFETY WASTE CAPS LISA



- 360° rotating PTFE head for easy tubing changes without twisting the tubes
- Supplied with 4 PFA connectors for ext. Ø capillaries, 1.6 to 3.2 mm
- Supplied with 3 PP fittings for 5 to 11.5 mm int Ø pipes
- GL14 connector for vent filter
- Supplied with 9 plugs
- 2 versions: HDPE or conductive HDPE

Part no.	Part no. SCAT	Thread	€	€ PROMO
959566	350045	GL45	181.10~	139 -
959567*	450045	GL45	211~	156 -
959555	350055	S55	181.10~	139 -
496460*	450055	S55	203~	156 -
959556	350060	S60/61	181.10~	139 -
959557*	450060	S60/61	211~	155 -

* Conductive ESD version

HPLC STARTER KIT

- Caps, vents and kits for PFAS analysis
- Polypropylene plug and fittings, guaranteed PFAS-free
- Value packs including :
 - 4 PFAS GL45 SafetyCaps
 - 4 PFAS vent filters for contamination-free venting
 - PP fittings and plugs

Part no.	Part no. SCAT	Types of caps	€	€ PROMO
999190A	399200-PP	3 caps 1 way , 1 cap 2 ways	315~	240 -
999191B	399201-PP	4 caps 2 ways	342~	260 -
959668B	399202-PP	4 caps 3 ways	365~	279 -
496479B	399203-PP	4 caps 4 ways	398~	305 -



HPLC STARTER KITS FOR GL45 NECK BOTTLES

- Economy packs with :
 - SafetyCap plugs for GL45 necks
 - PTFE vent filters for contamination-free venting
 - Fittings and stoppers



STARTER KIT HPLC I

Includes:

- + 3 caps 1 way and 1 cap 2 ways
- + 4 vent filters with label
- + 3 x 5 connections 1.6/2.3/3.2 mm
- + 1 obturator for unused capillary line

Part no.	Part no. SCAT	€	€ PROMO
999190	399200	311~	220 -

HPLC II STARTER KIT

Includes:

- + 4 caps 2 ways
- + 4 vent filters with label
- + 3 x 8 connections 1.6/2.3/3.2 mm
- + 4 plugs for unused capillary lines

Part no.	Part no. SCAT	€	€ PROMO
999191	399201	339~	235 -

HPLC III STARTER KIT

Includes:

- + 4 caps 3 ways
- + 4 vent filters with label
- + 3 x 12 connections 1.6/2.3/3.2 mm
- + 8 plugs for unused capillary lines

Part no.	Part no. SCAT	€	€ PROMO
959668	399202	355~	255 -

HPLC IV STARTER KIT

Includes:

- + 4 caps 4 ways
- + 4 vent filters with label
- + 3 x 12 connections 1.6/2.3/3.2 mm
- + 8 plugs for unused capillary lines

Part no.	Part no. SCAT	€	€ PROMO
496479	399203	392~	277 -



CHEMICAL ABSORBENTS PIG HAZ-MAT

- For the absorption of a wide range of chemicals
(e.g. 98% sulphuric acid, 30% sodium hydroxide)

PADS IN A BAG

Part no.	Designation	Dimensions (mm)	Absorption (l/bag)	Pads/bag	€ Per bag	€ PROMO
333202	Heavyweight mat pads	380 x 510	41.8	50	142~	75 -
333203	Heavyweight mat pads	380 x 510	83.6	100	276~	145 -
333204	Lightweight mat pads	380 x 510	83.6	200	336~	165 -



333208



333202

ROLL

Part no.	Designation	Dimensions (mm x m)	Absorption (l/bag)	Rolls/bag	€ Per bag	€ PROMO
333187	Single-ply roller	760 x 91	152.4	1	455~	290 -
333292	Single-ply roller	380 x 15	12.5	1	68.40~	45 -
333208	Rip&fit triple layer roll	380 x 18	29.7	1	175.80~	98 -



333187



333187



TAKE PART IN SUSTAINABLE DEVELOPMENT WITH DULIS

Plastic waste recycling

Give your racks a new life! Dulis recycles your empty racks free of charge.




Reforestation

For every 250 kg of plastic ordered, Dulis will plant 2 trees in Europe. Join our program today.



<https://www.dulis.be/about/csr/environment>
or <https://www.dulis.nl/about/csr/environment>



[Dulis.be](https://www.dulis.be)



[Dulis.nl](https://www.dulis.nl)



FILTRATION

SARTORIUS

MICROSART VACUUM FILTRATION SYSTEM

- Vacuum filtration equipment for microbiological quality control of liquid samples
- Left/right-handed use thanks to 360° rotatable membrane support
- Easy recovery of the membrane without risk of secondary contamination thanks to the sterile vent filter on each station

Material	Stainless steel
Membranes Ø (mm)	47 and 50
Sterilization	Autoclavable at 121°C or 134°C, dry heat : 150 °C, flame passage
Membrane holder	Stainless steel notched
Fittings	Notched spigot for connection to 7 mm internal diameter vacuum hose



845016

MICROSART MANIFOLD ~ VERSION WITHOUT FUNNELS

- To be completed with a filter funnel

Number of branches	For Microsart funnels			For Biosart 100 units			For Biosart 250 units		
	Part no.	€	PROMO €	Part no.	€	PROMO €	Part no.	€	PROMO €
1	845015	2021~	1500 -	845019	2044~	1660 -	845023	2095~	1550 -
2	845016*	3113~	2300 -	845020*	3147~	2300 -	-	-	-
3	845017	3756~	2800 -	845021	3836~	2900 -	845024	3756~	2800 -
6	845018	5766~	4300 -	845022	5869~	4300 -	845025	5835~	4300 -

* Angled manifold body.



Find accessories and pumps on Dulis.be or Dulis.nl

MICROSART MANIFOLD ~ COMPLETE VERSION WITH FUNNELS

- Supplied with 100 or 500 ml funnels (lid and seal), 47 and 50 mm filter holder (frit and seal), caps and silicone tubing with quick fitting (20 cm)

Part no.	Number of channels	Funnel (ml)	€	PROMO €
845026	1	100	2148~	1600 -
845027	3	100	4342~	3200 -
845028	6	100	7075~	5200 -
845029	1	500	2228~	1650 -
845030	3	500	4583~	3470 -
845031	6	500	7351~	5400 -



MICROSART® EJET PUMP

- Liquid pump
- Direct discharge of filtrates
- Flow rate 4 litres/hour
- Small footprint
- For ramps of 1 to 6 stations



Part no.	Designation	€	€ PROMO
150197	Microsart® ejet pump	1831~	1400 -



SARTOLAB RF AND BT FILTER UNITS

SARTORIUS

Sterile



- Ready to use
- Complete units or funnels for 45 mm neck bottles
- For vacuum filtration of solutions from 150 ml to 1 l
- Increased filtration area for better filtration rate
- PES membrane optimised for low aspecific protein adsorption
- E-beam radiation sterilisation (SAL 10⁻⁶)

SARTOLAB RF FILTER UNIT

- Complete filtration units
- Graduations and large marking area

Part no.	Threshold (µm)	funnel Bottle volume (ml)	Units/ box	€/ box	€ PROMO
845220	0.1	250	12	147~	67 -
845212	0.22	150	12	133~	52 -
845213		250	12	147~	63 -
845214		500	12	236~	72 -
845215		1 000	12	294~	120 -
845207	0.45	150	12	133~	70 -
845208		250	12	147~	78 -
845209		500	12	236~	88 -
845210		1 000	12	294~	149 -

SARTOLAB BT FILTRATION FUNNELS

- Filter funnels with lid and vacuum adapter
- Graduations and large marking area

Part no.	Threshold (µm)	Volume (ml)	Units/ box	€/ box	€ PROMO
845216	0.22	150	12	104~	42 -
845218	0.22	500	12	177~	62 -
845219	0.22	1000	12	236~	114 -

STERILE TUBE FILTRATION UNIT

SARTORIUS



- Vacuum filtration of culture media
- PES membrane with low protein affinity
- Individual sterile packaging

Part no.	Filtration threshold (µm)	€	€ PROMO
978885	0.22	207~	125 -

GLASS FILTRATION FUNNEL 300 ML

DWK LIFE SCIENCES



- Made of glass, fully autoclavable
- Suitable for membrane Ø 47 mm
- Ideal for microbiology

Includes 3 elements:

- + 300 ml funnel;
- + support base with sintered disc
- + metal retaining clip;

Part no.	Designation	€	€ PROMO
001967	Graduated glass funnel 300 ml	172.70~	83 -
001970	Metal retaining clip	248~	87 -
785379	Base for 47 mm membrane filter support	157.30~	130 -

VACUUM FLASKS

- Thick walls: greater mechanical strength
- Studded base to minimise surface abrasion
- With all-glass bicone for flexible connection tube with internal diameter of 9 mm

Part no.	Diam. body (mm)	Height (mm)	Int. neck diameter (mm)	Nom. capacity (ml)	Units/box	€/box	€ PROMO
232631	85	155	35	250	10	663~	345 -
002037	105	185	35	500	10	74.50~	38 -
002038	135	230	45	1000	5	96.30~	49 -
002039	166	260	60	2000	1	196.80~	130 -




PYREX® VACUUM FLASKS

Borosilicate Pyrex® glass vials specially designed for vacuum work.

- Step barb glass lateral end
- The 2 types of vacuum flask can be used from -30°C to +70°C (sterilisable at 125°C using moist heat for 30 minutes)

Part no.	Volume (ml)	ø x H (mm)	Inn. neck ø (mm)	hose connection ø (mm)	€	€ PROMO
001165	3000	187 x 335	68	9	208~	175 -
001166	5000	220 x 385	68	9	321~	240 -



DURAN® SINTERED FILTER GLASS FUNNELS

Identifi- cation	Vol (ml)	Discs ø (mm)	Rod ø (mm)	H. (mm)	Inn. ø (mm)		Frit N °1 100 - 160 µm	Frit N °2 40 - 100 µm	Frit N °3 16 - 40 µm	Frit N °4 10 - 16 µm	Frit N °5 1 - 1.6 µm
3 D	50	35	10	130	40	Part no.	080557-1	080557-2	080557-3	080557-4	080557-5
						€	49.10~	53.80~	57.50~	52.20~	91.60~
						€ PROMO	35 -	35 -	35 -	37 -	64 -
11 D	75	45	10	130	56	Part no.	-	080558-2	080558-3	080558-4	080558-5
						€	-	54.50~	54.50~	61.60~	107.30~
						€ PROMO	-	39 -	39 -	43 -	-
17 D	125	60	10	140	71	Part no.	080559-1	080559-2	080559-3	080559-4	080559-5
						€	76.80~	76.80~	83.60~	94.40~	151~
						€ PROMO	54 -	54 -	53 -	59 -	107 -
25 D	500	95	22	200	106	Part no.	080560-1	080560-2	080560-3	080560-4	080560-5
						€	123.80~	123.80~	123.80~	145.70~	311~
						€ PROMO	88 -	88 -	88 -	105 -	220 -
26 D	1000	120	22	320	135	Part no.	080561-1	080561-2	080561-3	080561-4	080561-5
						€	197~	285~	197~	377~	766~
						€ PROMO	143 -	143 -	143 -	187 -	380 -
151 D	4000	175	30	400	202	Part no.	-	-	-	080562-4	-
						€	-	-	-	983~	-
						€ PROMO	-	-	-	540 -	-



GLASSWARE



CONICAL GLASS SEPARATING FUNNEL



- PTFE key
- Supplied with glass and PE caps to meet all requirements
- Pyrex glass, chemically inert

Vol (ml)	CN neck	Tap channel	Part no.	€/ box	€ PROMO
50	14/23	1.5	991530	133.50~	83 -
100	19/26	1.5	761827	133.30~	84 -
250	24/29	2.5	991531	155.50~	97 -
500	24/29	4	799261	196.80~	109 -
1000	29/32	4	232920	208~	126 -
2000	29/32	6	090872	450~	171 -

DURAN YOUTILITY GL45 GLASS BOTTLE



Ergonomically designed bottle with a slim shape to save space.

- Neutral borosilicate glass 3.3 type 1 DURAN
- Optimised cap with easy unscrewing, supplied with the bottle
- Bottles and caps with a traceability code, certificate of conformity available on www.duran-group.com
- Coloured silicone marker rings (accessory) for easy identification of the bottle

Volume (ml)	Ø x h (mm)	Units/box	Standard bottle			Amber bottle		
			Part no.	€/ box	€ PROMO	Part no.	€/ box	€ PROMO
125	55 x 124	4	092148	56.60~	31.20 -	092183	179.80~	100 -
250	66 x 158	4	092149	63.30~	34.40 -	092184	249~	140 -
500	78 x 193	4	092150	78.20~	44 -	092185	322~	180 -
1000	93 x 253	4	092151	111.30~	60 -	092186	395~	220 -

Certificate and batch tracking for DURAN® to GL45 bottles: using the special 8-digit code on the bottle, you can obtain a certificate directly on the Internet.

DURAN® BOROSILICATE GLASS BOTTLE



DURAN® borosilicate glass bottles have a very low coefficient of expansion and excellent resistance to thermal shock and chemical agents.

- Uniform wall thickness
- Autoclavable, sterilisable
- With traceability code to obtain a batch certificate on the internet
- Long-lasting printed graduations
- Blue PP cap

Vol. (ml)	Height with cap (mm)	Height without cap (mm)	Neck Ø (GL thread)	Body Ø (mm)	Units/box	Clear Glass Bottles			Brown bottles		
						Part no.	€/ box	PROMO €	Part no.	€/ box	PROMO €
10	54	50	GL25	36	10	090983	139.30~	95 -	090987	343~	210 -
25	74	70	GL25	36	10	090299	97.40~	72 -	083836	590~	210 -
50	91	87	GL32	46	10	090300	103.90~	80 -	083838	604~	210 -
100	105	100	GL45	56	10	090301	106.50~	72 -	083840	672~	240 -
150	115	110	GL45	62	10	092033	146.60~	72 -	083841	817~	280 -
250	143	138	GL45	70	10	090302	106.20~	72 -	083843	944~	330 -
500	181	176	GL45	86	10	090303	134.10~	98 -	083845	1222~	430 -
750	208	203	GL45	95	10	092034	228~	125 -	083846	1348~	470 -
1000	230	225	GL45	101	10	090304	202~	140 -	083848	1503~	520 -
2000	265	260	GL45	136	10	090305	447~	320 -	083850	2311~	810 -
3500	300	295	GL45	160	1	092035	190.40~	104 -	083851	499~	174 -
5000	335	330	GL45	182	1	090306	213~	144 -	083853	662~	234 -
10000	415	410	GL45	227	1	090307	387~	271 -	083854	1065~	376 -

SLS SELECT BOROSILICATE GLASS BEAKERS

- Made of high quality borosilicate glass
- With white scales and marking area
- Excellent chemical and thermal resistance

Part no.	Volume (ml)	Ø x h (mm)	Units/box	€/ box	€ PROMO
257055	25	34 x 50	12	36.30~	8 -
257056	50	42 x 60	12	32.80~	9 -
257057	100	50 x 70	12	41.40~	12 -
257058	150	60 x 80	12	45.30~	15 -
257059	250	70 x 95	12	43.40~	18 -
257060	400	80 x 110	12	45.20~	20 -
257061	600	90 x 125	6	33.40~	15 -
257062	1 000	105 x 145	6	32.70~	18 -
257145	5000	170 x 270	2	169.20~	110 -



CLASS B ~ HIGH FORM

CLASS B SLS SELECT TEST TUBES

- Made of high quality borosilicate glass
- Class B
- With white scales
- Excellent chemical and thermal resistance
- Robust hexagonal base

Part no.	Volume (ml)	Height (mm)	Units/box	€/ box	PROMO €
257073	10	135	2	13.70~	7 -
257074	25	160	2	13.90~	7.50 -
257075	50	195	2	14.90~	9.80 -
257076	100	250	2	17.10~	9.50 -
257077	250	300	2	29.20~	19 -
257078	500	350	2	46~	29 -
257079	1 000	430	1	44.50~	23 -



HIRSCHMANN VOLUMETRIC FLASKS

- Borosilicate glass 3.3
- Permanent brown graduation with diffusion colour
- Certificate of conformity, with dated batch number
- PE cap

HIRSCHMANN CLASS A VOLUMETRIC FLASKS, CLEAR GLASS

Part no.	Volume (ml)	Type	Tolerance (± ml)	Height (± 5 mm)	Units/box	€/ box	PROMO €
501031	5	NS 7/16	0.025	70	2	45.20~	29 -
501033	10	NS 7/16	0.025	90	2	41.90~	26.50 -
501037	25	NS 10/19	0.04	110	2	36.30~	23 -
501039	50	NS 12/21	0.06	140	2	43.80~	29 -
501041	100	NS 12/21	0.1	170	2	44.30~	29 -
501045	500	NS 19/26	0.25	260	2	78.80~	51 -

VOLUMETRIC FLASKS BROWN GLASS

Part no.	Capacity (ml)	Type	Tolerance (± ml)	Height (± 5 mm)	Units/box	€/ box	PROMO €
500991	10	NS 10/19*	0.04	90	2	75.30~	44 -
501303	25	RN12/21	0.06	-	2	75~	45 -
501000	500	NS 19/26	0.25	260	2	103~	80 -
500995	50	NS 14/23*	0.08	140	2	78.50~	45 -
500997	100	NS 14/23	0.1	170	2	78.10~	47 -



HIRSCHMANN®



ERLENMEYER FLASK WITH NARROW NECK



- Made of high quality borosilicate glass
- With white scales and marking area
- Excellent chemical and thermal resistance

Part no.	Volume (ml)	Ø x h (mm)	Internal neck Ø (mm)	Units/box	€/box	PROMO €
257068	50	80 x 54	24	12	45.10~	22 -
257069	100	105 x 64	29	12	54.70~	24 -
257070	250	145 x 85	31	6	26.40~	15.50 -
257071	500	184 x 103	36	6	33.20~	16 -
257072	1 000	131 x 214	42	6	50.40~	30 -
176305	3000	187 x 310	50	6	337~	230 -
176306	5000	220 x 365	50	2	188.50~	125 -

PYREX® CLASS A BEAKER TEST TUBES



- In chemically resistant Pyrex® borosilicate glass
- Compliant with ISO 4788
- Certified 'H' compliance
- Batch number on the test tube
- White enamelled graduations

Part no.	Vol. (ml)	Grad. (ml)	Tolerance (+/- ml)	Height (mm)	Units/box	€/box	PROMO €
090180B	10	0.2	0.1	140	2	28.50~	21 -
090181B	25	0.5	0.25	170	2	28.70~	20 -
991624	50	1	0.5	200	2	35.20~	21 -
991625	100	1	0.5	260	2	40.50~	24 -
991626	250	2	1	335	2	56.40~	33 -
991627	500	5	2.5	390	2	90~	52 -
761830	1 000	10	5	470	2	166.30~	97 -
001480	2000	20	10	570	1	179.10~	79 -

EVAPORATION CAPSULE



- Porcelain
- Round base with spout

Part no.	Volume (ml)	Ø x h (mm)	€/box	PROMO €
176127	35	60 x 25	1.90~	1.40 -
176128	50	70 x 28	2.20~	1.70 -
176129	75	82 x 32	2.50~	2 -
176130	100	90 x 35	2.70~	2.20 -
176131	125	98 x 38	3.30~	2.50 -
176132	150	104 x 40	3.30~	3 -
176133	250	118 x 48	4.60~	3.70 -

MANUAL CRIMPING AND UNCRIMPING PLIERS



- Ergonomic handle to reduce fatigue
- Size indicated on the clip
- Autoclavable

Ø (mm)	Crimping pliers			Loosening pliers		
	Part no.	€	PROMO €	Part no.	€	PROMO €
13	442699	706~	440 -	048891	714~	470 -
20	054911	667~	440 -	048916	700~	470 -

HYGIENE & SAFETY

WATERPROOF THERMAL PROTECTION GLOVES

MAPA
PROFESSIONAL



TEMPCOOK 476


For all work requiring protection against extreme temperatures.

- Length 450 mm
- Protection : -150 °C to +250 °C

T.9	T.11	T.12	€/per pair	PROMO €
430128B	430129B	430130B	158.20~	92 -

CRYOGLOVES

cryokit
cryogenic protection




- Cryokit 400 extra-soft gloves
- Can be used from -196 °C to +150 °C
- Length 40 cm

T.8	T.9	T.10	T.11	€/per pair	PROMO €
005206	005207	005208	005209	181.20~	110 -

WATERPROOF PROTECTIVE GLOVES

MAPA
PROFESSIONAL



- Excellent dexterity in natural latex
- Cotton flocking for comfort
- Good resistance to many diluted acids and detergents

Model	Length/Thickness	Size	Part no.	Packaging unit	€	PROMO €
VITAL	305 mm/ 0.38 mm	6	430002	Bag of 10 pairs	19~	11 -
		7	430005		19~	11 -
		8	430008		19~	11 -
		9	430011		19~	11 -
		10	430017		19~	11 -

DISPENSERS FOR GLOVE BOXES



022435

- Stainless steel 304

Part no.	Model	€	PROMO €
022433	1 vertical box	68.60~	42 -
022434	2 vertical boxes	84.20~	53 -
022435	3 vertical boxes	96.50~	65 -
022458	4 vertical boxes	118.10~	73 -

- Optional: magnetic mounting for spool valves
- For fixing without drilling on steel or magnetic partitions

Part no.	Designation	€	PROMO €
022456	Set of 4 magnetic fasteners for dispenser	85.60~	48 -

OVERGLASSES

- Overglasses compatible with prescription glasses
- Wide field of view
- Colourless, scratch-resistant polycarbonate lens
- Hingeless flexible branches with soft ends
- "Planet" OTG version: based on Mass Balance polycarbonate and bio-sourced materials

Part no.	Designation	Units/box	€/box	PROMO €
267035	Pair of super OTG overglasses with clear lenses	8	148~	110 -
940439	Pair of super OTG "Planet" overglasses with clear lenses	8	203~	110 -



FFP3 3-PANEL MASK



- 3-panel mask, delivered flat
- With valve
- Ideal for use in combination with other PPE
- Light, skin-friendly materials
- Excellent breathability
- Eco-responsible lightweight, reduced carbon footprint

Part no.	Protection	Units/box	€/box	PROMO €
242706	FFP3	12	57.60~	40 -

MEDICAL MASK WITH ELASTICS



- Type IIR medical mask with ear elastics
- Anatomical folding
- High breathability and comfort
- Non-irritant, non-sensitising

Part no.	Designation	€ per box of 50	PROMO €
475400	Medical OP'R type IIR mask	10.40~	5.10 -



Recycled packaging
and recyclable +
renewable energy

RESPIRATORY PROTECTION MASK



- Mask FFP2 protective and IIR medical type
- Without staples
- High breathability and comfort
- Non-irritant, non-sensitising

Part no.	Filtration level	Packaging	€ per box of 50	PROMO €
475349	FFP2 NR D	Individual bag	25.10~	15 -

MARKERS

- 4-colour case (red, blue, green, black)

Part no.	Designation	€	PROMO €
929212	Set of 4 markers with extra fine tip	22.90~	10.50 -
929213	Set of 4 markers with medium tip	22.20~	10.50 -



ADHESIVE TAPES

- Robust, water-resistant, oil and acid resistant
- Can be frozen at - 80 °C and autoclaved for 15 minutes at + 121 °C

RAINBOW PACKS: ASSORTED COLOURS (WHITE, YELLOW, RED, ORANGE, GREEN, BLUE AND PINK)

Designation	Part no.	€	PROMO €
Rainbow Pack: 24 rolls 12 m x 13 mm	188007	250~	60 -
Rainbow Pack: 16 rolls 12 m x 19 mm	188015	240~	60 -
Rainbow Pack: 12 rolls 12 m x 25 mm	188023	238~	60 -



CLEARLINE® LABELS FOR CRYOGENICS

- Operating temperature: -196 °C to +121 °C
- Roll format

Dimensions L x W or Ø (mm)	24 x 13	33 x 13	38 x 19
For	Microtubes 0.5 ml	Microtubes 1.5 - 2 ml	General use
White	188486	188487	188493
Units/roll	1 000	1000	1000
€	108.20~	108.20~	109.70~
PROMO €	50 -	50 -	50 -



PARAFILM STRETCH FILM

Stretch film especially for sealing laboratory containers.

Width (cm)	10
Lenght (m)	38
Part no.	090260
€	62.40~
PROMO €	19.50 -



VERSI-DRY BENCH TOP PROTECTION PAPERS

- Absorbent papers with polyethylene back

Part no.	Presentation	L x W	Packaging unit	€	€ PROMO
Versi-dry absorbance standard white (750 ml/m²)					
029152	Dispenser roller	100 m x 51 cm	1 roll	206~	75 -
088025	Dispenser roller	30 m x 51 cm	4 roll	299~	117 -
Versi-dry blue enhanced absorbency (1050 ml/m²)					
029157	Roll	80 m x 51 cm	1 roll	354~	132 -
029156	Sheets	45 cm x 51 cm	350 sheets	810~	295 -



LABORATORY SET



- In silicone (VMQ)
- Withstands up to + 260°C
- Non-slip
- Sterilizable

Colour	W x L (mm): 250 x 250	W x L (mm): 350 x 350
Red	092156	092158
€	33.20~	56.30~
PROMO €	25 -	40 -

PURESTEP ENVIROTACK™ MATS



- Decontaminating multi-layer carpet
- For contamination control at the entrance to protected areas
- Strong and effective, retains particles from soles and trolley wheels without sticking

Size (cm)	Grey	Units/box	€/box	PROMO €
46 x 114	353708	8	96.50~	79 -

INDIVIDUAL AUTOCLAVABLE BAGS



- In translucent PP
- Resistant to 121 °C
- Thickness: 40 µm

Recommendation:
To withstand the autoclave, the bags should not be sealed.

Part no.	H x L (mm)	Volume (l)	Units/box	€/box	€ PROMO
140230	400 x 255	3	500	136.20~	50 -
140231	300 x 500	9	500	139.60~	50 -
140232	400 x 600	14	500	231~	88 -
140233	780 x 400	21	500	322~	115 -
140234	780 x 600	33	500	351~	125 -



LABORATORY STOOL WITH CASTORS



Mobile stool ideal for short-term sitting in the laboratory.

- Adjustable seat height : 450-650 mm
- Seat: PU foam with soft, easy-care padding
- Legs: polished aluminium with castors

Part no.	Designation	€	PROMO €
725944	Stool 9463L Labor 2	224~	175 -

TECHNICAL LABORATORY CHAIR



- Optimum comfort in prolonged use
- Adjustable height
- Legs: chromed steel, on castors
- Circular footrest in chromed steel with a diameter of 44 cm

Part no.	Designation	€	PROMO €
694240	Technical chair with 5 castors - Seat height 56 - 81 cm - with footrest - colour black	414~	210 -

STEPLADDER

- Dimensions: 100 x 40 x 20 cm
- Weight: 5.54 kg

Part no.	Designation	€	PROMO €
731139B	Stepladder	415~	110 -



TROLLEY WITH BINS



- Modular structure and stainless steel profile
- Epoxy coating, blue RAL 5007
- 3 trays
- 3 bins...
- 4 castors, 2 of which have brakes,
- Load capacity: 200 kg

Part no.	Ext. dimensions L x W x H (mm)	Usable dimensions L x W (mm)	€	PROMO €
540250	820 x 450 x 1178	600 x 400	590~	550 -

STAINLESS STEEL TROLLEYS



- 4 corner stops
- 4 anti-noise swivel castors Ø 100 mm, 2 of which have brakes
- Load capacity: 250 kg/trolley and 80 kg/shelf

Part no.	Ext. dimensions L x W x H (mm)	Number of trays	€	PROMO €
540160	850 x 540 x 940	2	255~	95 -
540161	850 x 540 x 940	3	303~	116 -
540162	710 x 410 x 810	2	208~	194 -
540163	710 x 410 x 810	3	242~	156 -

MULTIPURPOSE PLASTIC TROLLEYS



- Load capacity per shelf: 80 kg
- Load capacity per trolley: 250 kg
- 4 wheels Ø 100 mm, 2 of which have brakes
- Double ball bearing wheels
- Delivered unassembled, easy to assemble
- Aluminium frame and thick polypropylene trays

No. of trays	Dimensions (W x L x H) (mm)	Black			Grey		
		Part no.	€	PROMO €	Part no.	€	PROMO €
2	850 x 480 x 950	040178	297~	195 -	040182	309~	202 -
3	850 x 480 x 1000	-	-	-	040183	360~	220 -
2	1100 x 520 x 950	040180	360~	216 -	040184	381~	245 -
3	1100 x 520 x 1020	-	-	-	040185	473~	260 -

- Litter bins for multi-purpose trolleys

Part no.	Designation	Colour	Dimensions (W x L x H)	€	PROMO €
540252	Small basket	Grey	350 x 240 x 200	30.60~	27 -
540251	Large basket		390 x 255 x 380	55.10~	42 -
540253	Small basket	Black	350 x 240 x 200	24.50~	18 -
540254	Large basket		390 x 255 x 380	46.90~	35 -

MULTIPURPOSE TROLLEYS



- Light grey
- Aluminium uprights
- 2 or 3 polypropylene trays
- Load capacity: 100 kg/trolley and 60 kg/shelf

Part no.	Ext. dimensions L x W x H (mm)	Int. dimensions L x W x H (mm)	Number of trays	€	PROMO €
540040	485 x 365 x 720	480 x 360	2	211~	162 -
540041	485 x 365 x 720	480 x 360	3	238~	133 -



LABORATORY FURNITURE

ClearLine®

We offer robust and practical laboratory furniture for all sizes of laboratories,
A wide range of coatings are available to suit every need,



Contact us for a tailor-made quote!



CLEARLINE® MOBILE UNDER-BENCH CABINETS

Our ClearLine® mobile units are practical, robust and of high quality. They can be positioned under the bench and moved easily if necessary.

- Two different heights to optimise the space available under the different benches
- Reinforced melamine furniture
- Multiple configurations to meet every need:
 - with doors: opens to 270°
 - with drawers: "soft close" assisted closing system
 - with doors and drawers
- Polypropylene handles
- Equipped with 4 castors, diameter 75mm, two of which have brakes
- Light grey colour
- Suitable for storing glassware, containers and laboratory tools
- Not suitable for storing chemicals
- Delivered assembled

w x D x H (mm)	Part no.	€	€ PROMO	w x D x H (mm)	Part no.	€	€ PROMO	w x D x H (mm)	Part no.	€	€ PROMO
1 door				3 drawers				1 door + 1 drawer			
450 x 520 x 640	370105	271~	219 -	450 x 520 x 640	370116	372~	303 -	450 x 520 x 640	370129	319~	260 -
530 x 520 x 640	370106	280~	228 -	530 x 520 x 640	370117	383~	311 -	530 x 520 x 640	370130	328~	267 -
600 x 520 x 640	370107	291~	238 -	600 x 520 x 640	370118	393~	319 -	600 x 520 x 640	370131	340~	276 -
450 x 520 x 790	370102	285~	232 -	830 x 520 x 640	370119	430~	350 -	450 x 520 x 790	370126	338~	275 -
530 x 520 x 790	370103	300~	243 -	900 x 520 x 640	370120	442~	358 -	530 x 520 x 790	370127	354~	288 -
600 x 520 x 790	370104	314~	256 -	450 x 520 x 790	370111	387~	315 -	600 x 520 x 790	370128	367~	299 -
2 doors				530 x 520 x 790	370112	401~	326 -	2 doors + 1 drawer			
830 x 520 x 640	370138	372~	303 -	600 x 520 x 790	370113	417~	339 -	830 x 520 x 640	370134	362~	294 -
900 x 520 x 640	370139	383~	311 -	830 x 520 x 790	370114	456~	371 -	900 x 520 x 640	370135	371~	301 -
830 x 520 x 790	370136	397~	322 -	900 x 520 x 790	370115	466~	379 -	830 x 520 x 790	370132	445~	361 -
900 x 520 x 790	370137	410~	333 -	4 drawers				900 x 520 x 790	370133	457~	372 -
2 drawers				450 x 520 x 790	370100	435~	320 -				
450 x 520 x 640	370121	324~	263 -	530 x 520 x 790	370101	449~	334 -				
530 x 520 x 640	370122	334~	271 -	600 x 520 x 790	370108	465~	378 -				
600 x 520 x 640	370123	344~	281 -	830 x 520 x 790	370109	504~	410 -				
830 x 520 x 640	370124	383~	311 -	900 x 520 x 790	370110	513~	418 -				
900 x 520 x 640	370125	393~	319 -								



Tip

Find all ClearLine® furniture on Dulis.be or Dulis.nl



STORAGE SHELVES



Solid, durable and hygienic shelves with an anodised aluminium structure.

- Specially designed for food use
- Food-grade polyethylene shelves
- Modular assembly in rows (linear shelving) and corners (corner shelving) (corner shelving is a complementary element that cannot be sold on its own)
- Anodised aluminium structure for added rigidity
- Shelving depth : 400 mm / height 1970 mm
- Suitable for use in cold rooms, at both positive and negative temperatures
- Supplied in kit form for quick and easy assembly without tools
- Shelf dimensions: height 1970 mm and depth 400 mm
- Other lengths on request

Assembled independently or in multiple combinations using additional shelves or corner shelves,

Shelf 3 levels				Corner shelf 3 levels				Shelf 4 levels				Corner shelf 4 levels			
Length (mm)	Part no.	€	€ PROMO	Length (mm)	Part no.	€	€ PROMO	Length (mm)	Part no.	€	€ PROMO	Length (mm)	Part no.	€	€ PROMO
690	783300	431~	321 -	650	783330	352~	262 -	744	783315	478~	356 -	650	783346	420~	313 -
790	783301	457~	340 -	750	783331	373~	278 -	856	783316	515~	384 -	750	783347	457~	340 -
890	783302	467~	348 -	850	783332	389~	290 -	968	783317	525~	391 -	850	783348	467~	348 -
990	783303	494~	368 -	950	783333	420~	313 -	1087	783318	567~	423 -	950	783349	504~	376 -
1090	783304	515~	384 -	1050	783334	431~	321 -	1199	783319	583~	434 -	1050	783350	530~	395 -
1190	783305	525~	391 -	1150	783335	441~	329 -	1311	783320	609~	454 -	1150	783351	541~	403 -
1290	783306	530~	395 -	1250	783336	457~	340 -	1423	783321	625~	466 -	1250	783352	546~	407 -
1390	783307	541~	403 -	1350	783337	467~	348 -	1539	783322	635~	474 -	1350	783353	567~	423 -
1490	783308	572~	427 -	1450	783338	488~	364 -	1651	783323	672~	501 -	1450	783354	620~	462 -
1590	783309	578~	430 -	1550	783339	504~	376 -	1682	783324	677~	505 -	1550	783355	630~	470 -
1690	783310	588~	438 -	1650	783340	515~	384 -	1690	783325	693~	517 -	1650	783356	635~	474 -
1725	783311	777~	579 -	1680	783341	709~	528 -	1725	783326	914~	681 -	1680	783357	851~	634 -
1825	783312	835~	622 -	1780	783342	756~	564 -	1825	783327	977~	728 -	1780	783358	914~	681 -
1925	783313	830~	618 -	1880	783343	751~	560 -	1925	783328	961~	716 -	1880	783359	908~	677 -
2025	783314	845~	630 -	1980	783344	756~	564 -	2025	783329	982~	732 -	1980	783360	919~	685 -
-	-	-	-	2080	783345	772~	575 -	-	-	-	-	2080	783361	950~	708 -



NOTE

A vibrant, stylized illustration of a classical Greek temple with six columns, situated on a rocky outcrop overlooking a turquoise sea. The temple has a triangular pediment and a set of stairs leading down to a small sandy beach. In the background, there are steep, rocky cliffs, a waterfall on the left, and a large, bright sun setting or rising over the horizon, casting a golden glow across the scene. The sky is filled with soft, colorful clouds. The entire illustration is overlaid with a semi-transparent white rectangle containing horizontal blue lines for writing.

MYTHICAL PROMOTIONS

Promotions for Life Sciences



HEAD OFFICE

Zoning Industriel de Rhisnes
Rue de Neverlée 11
B-5020 Suarlée (NAMUR)
BELGIUM
Tel. +32 81 94 66 00
info@dulis.be

HOW TO ORDER

Send your order form
by email: orders@dulis.be
on the web, via the [Contact](#) tab.

www.dulis.be / www.dulis.nl

Linkedin 

TOGETHER, LET'S HELP SCIENCE
MOVE FORWARD



ISO
9001
14001

 apave
BCS Certification

